

Author index

- Abbott RJ see Comes HP
 Abbott RJ see Milne RI
 Abe S see Hasegawa O
 Abe S see Ishibashi Y
 Abernethy K see Muloko-Ntouteume N
 Achmann R & Heller KG. Identification of polymorphic autosomal and sex chromosome specific DNA microsatellites in the bushcricket, *Poecilimon hoelzeli* (Orthoptera, Tettigoniidae, Phaneropteridae), 1674
 Achmann R see Heckel G
 Achmann R see Traxler B
 Afonso P see Carvalho MC
 Aitken N see Sarre SD
 Akkaya MS see Hakki EE
 Alexandrino J, Froufe E, Arntzen JW & Ferrand N. Genetic subdivision, glacial refugia and postglacial recolonization in the golden-striped salamander, *Chioglossa lusitanica* (Amphibia: Urodela), 771
 Alexandrino P see Weiss S
 Alfonso P see Guillemard T
 Alia R see Soranzo N
 Allainguillaume J see Wilkinson MJ
 Allegrucci G see Lemaire C
 Almeida FC, Maroja LS, Seuánez HN, Cerqueira R & Moreira MAM. Identification of microsatellite loci in the water-rat *Nectomys squamipes* (Rodentia, Sigmodontinae), 2172
 Almodóvar A see Machordom A
 Alonso JC see Pitra C
 Alpers D see Sloane MA
 Amarista M see Mavárez J
 Amos W see Fullard KJ
 Amos W see Johnson PCD
 Amos W see Worthington Wilmer J
 Amsellem L see Dutech C
 Amsellem L, Noyer JL, Le Bourgeois T & Hossaert-McKey M. Comparison of genetic diversity of the invasive weed *Rubus alceifolius* Poir. (Rosaceae) in its native range and in areas of introduction, using amplified fragment length polymorphism (AFLP) markers, 443
 Anderson DJ see Huyvaert KP
 Anderson TJC, Su X-Z, Roddam A & Day KP. Complex mutations in a high proportion of microsatellite loci from the protozoan parasite *Plasmodium falciparum*, 1599
 Andrzejewski S see Combes MC
 Angers B see Charbonnel N
 Anthony F see Combes MC
 Anttila CK, King RA, Ferris C, Ayres DR & Strong DR. Reciprocal hybrid formation of *Spartina* in San Francisco Bay, 765
 Antunes A see Weiss S
 van Apeldoorn RC see Bijlsma R
 van Apeldoorn RC see van de Zande L
 de Araújo MLG see Lovejoy NR
 Arctander P see Birungi J
 Arens P, van't Westende W, Bugter R, Smulders MJM & Vosman B. Microsatellite markers for the European tree frog *Hyla arborea*, 1944
 Arigoni S & Largiadèr CR. Isolation and characterization of microsatellite loci from the ocellated wrasse *Symphodus ocellatus* (Perciformes: Labridae) and their applicability to related taxa, 2166
 Arlettaz R see Castella V
 Arnaud J-F see Guiller A
 Arnold GM see van der Merwe M
 Arnold ML. Anderson's paradigm: Louisiana Irises and the study of evolutionary phenomena: Invited Review, 1687
 Arntzen JW see Alexandrino J
 Autino A see Keys RN
 Avise JC see DeWoody JA
 Avise JC see Nelson WS
 Avise JC, Nelson WS, Bowen BW & Walker D. Phylogeography of colonially nesting seabirds, with special reference to global matrilineal patterns in the sooty tern (*Sterna fuscata*), 1783
 Ayres DR see Anttila CK
 Azevedo M see Queney G
 Bachmann K see van de Hulst RGM
 Bachmann V see Renard E
 Bagine RKN see Kaib M
 Bagley MJ see Dimsoski P
 Bahri-Sfar L see Lemaire C
 Baimai V see Walton C
 Baker CS see Rosenbaum HC
 Baker N, Byrne K, Moore S & Mather P. Characterization of microsatellite loci in the redclaw crayfish, *Cherax quadricarinatus*, 494
 Bandou E see Caron H
 Bannister JL see Rosenbaum HC
 Bargelloni L see Ostellari L
 Barker GC & Bundy DAP. Isolation and characterization of microsatellite loci from the human whipworm *Trichuris trichiura*, 1181
 Barker JHA see Green JM
 Barratt EM see Rossiter SJ
 Bartsch D see Saeglitz C
 Barut N see Chow S
 Bauer K see Hofreiter M
 Bautista JM see Machordom A
 Baverstock P see Maguire T
 Bazzicalupo M see Mengoni A
 Beacham TD see Miller KM
 Beall E see Martinez JL
 Becher SA see Henderson M
 Bédier L see Bierne N
 Beebe TJ see Zeisset I
 Begall S see Schroeder JW
 Beheregaray LB & Sunnucks P. Microsatellite loci isolated from *Odontesthes argentinensis* and the *O. perugiae* species group and their use in other South American silverside fish, 629

- Beheregaray LB see Sloane MA
 Beheregaray LB see Sunnucks P
 Belfiore NM & May B. Variable microsatellite loci in red swamp crayfish, *Procambarus clarkii*, and their characterization in other crayfish taxa, 2231
 Bensch S see Hansson B
 Bentzen P see Vadopalas B
 Benzie J see van Herwerden L
 Bergero R, Perotto S, Girlanda M, Vidano G & Luppi AM. Ericoid mycorrhizal fungi are common root associates of a Mediterranean ectomycorrhizal plant (*Quercus ilex*), 1639
 Berlin S, Merilä J & Ellegren H. Isolation and characterization of polymorphic microsatellite loci in the common frog, *Rana temporaria*, 1938
 Berlyn G see Rodriguez H
 Bernacchia G see Congiu L
 Bernard J see Desplanque B
 Bernatchez L see Garant D
 Bernatchez L see Hébert C
 Bernatchez L see Leclerc D
 Bertrand B see Combes MC
 Bérubé M, Jørgensen H, McEwing R & Palsbøll PJ. Polymorphic di-nucleotide microsatellite loci isolated from the humpback whale, *Megaptera novaeangliae*, 2181
 Besansky NJ see Sinkins SP
 Best PB see Rosenbaum HC
 Bester MN see Wynen LP
 Bierne N, Lehnert SA, Bédier L, Bonhomme F & Moore SS. Screening for intron-length polymorphisms in penaeid shrimps using exon-primed intron-crossing (EPIC)-PCR, 233
 Bijlsma R see van de Zande L
 Bijlsma R see van der Velde M
 Bijlsma R, van de Vliet M, Pertoldi C, van Apeldoorn RC & van de Zande L. Microsatellite primers from the Eurasian badger, *Meles meles*, 2216
 Billotte N see Dutech C
 Binelli G see Scotti I
 Binz T, Reusch TBH, Wedekind C, Schärer L, Sternberg JM & Milinski M. Isolation and characterization of microsatellite loci from the tapeworm *Schistocephalus solidus*, 1926
 Birley AJ see Miller NJ
 Birt TP see Ibarguchi G
 Birungi J & Arctander P. Large sequence divergence of mitochondrial DNA genotypes of the control region within populations of the African antelope, kob (*Kobus kob*), 1997
 Björklund M see Spong G
 Blatrix R see Giraud T
 Blijdenstein AF see van de Zande L
 Bloch D see Fullard KJ
 Blomster J, Hoey EM, Maggs CA & Stanhope MJ. Species-specific oligonucleotide probes for macroalgae: molecular discrimination of two marine fouling species of *Enteromorpha* (Ulvophyceae), 177
 Boag PT see Ibarguchi G
 Bodénès C see Gerber S
 Bonhomme F see Bierne N
 Bonhomme F see Lemaire C
 Bonnini I see Ouborg NJ
 Boomsma JJ see Ortius-Lechner D
 Bougnoux M-E see Jobet E
 Boulding EG see Tie AD
 Bowen BW see Avise JC
 Boyce WM see Ernest HB
 Boyd IL see Wynen LP
 Boyle PR see Emery AM
 Boyle PR see Greatorex EC
 Bradley DG see Hanotte O
 Branch LC see Walker RS
 Branco M see Queney G
 Brandl R see Kaib M
 Brem G see Traxler B
 Bremond P see Charbonnel N
 Brinkmann H see Garner TWJ
 Brinkmann H see Gerlach G
 Brown BL, Franklin DE, Gaffney PM, Hong M, Dendanto D & Kornfield I. Characterization of microsatellite loci in the eastern oyster, *Crassostrea virginica*, 2217
 Brown MW see Rosenbaum HC
 Brown RP see Pestano J
 Brown RP, Campos-Delgado R & Pestano J. Mitochondrial DNA evolution and population history of the Tenerife skink *Chalcides viridanus*, 1061
 Brownwell Jr RL see Rosenbaum HC
 Brunsfeld SJ see Hardig TM
 Bryant KA see Spencer PBS
 Bucci G & Vendramin GG. Delineation of genetic zones in the European Norway spruce natural range: preliminary evidence, 923
 Buchert GP see Rajora OP
 Bugter R see Arens P
 Bundy DAP see Barker GC
 Buonaccorsi VP & Graves JE. Isolation and characterization of novel polymorphic tetra-nucleotide microsatellite markers from the blue marlin, *Makaira nigricans*, 820
 Burke T see Dawson DA
 Burke T see Richardson DS
 Burrige CP & Smolenski AJ. Microsatellite loci from the marine fish *Nemadactylus macropterus* (Perciformes: Cheilodactylidae), 1180
 Butcher RDJ see Malloch G
 Butler HT see Wilkinson MJ
 Butlin RK see Walton C
 Byrne K see Baker N
 Cairney M, Taggart JB & Hoyheim B. Characterization of microsatellite and minisatellite loci in Atlantic salmon (*Salmo salar* L.) and cross-species amplification in other salmonids, 2175
 da Câmara Machado A see Sefc KM
 Campos-Delgado R see Brown RP
 Cancela L see Carvalho MC
 Cancela ML see Guillemard T
 Cardoso MA see Cardoso SRS
 Cardoso SRS, Eloy NB, Provan J, Cardoso MA & Ferreira PCG. Genetic differentiation of *Euterpia edulis* Mart. populations estimated by AFLP analysis, 1753
 Cariou ML see Renard E
 Carlstein M see Koskinen MT
 Carmichael LE, Clark W & Strobeck C. Development and characterization of microsatellite loci in lynx (*Lynx canadensis*), and their use in other felids, 2197
 Caron H, Dumas S, Marque G, Messier C, Bandou E, Petit RJ & Kremer A. Spatial and temporal distribution of chloroplast DNA polymorphism in a tropical tree species, 1089
 Carter D see Tran-Dinh N

- Carter KL, Robertson BC & Kempenaers B. A differential DNA extraction method for sperm on the perivitelline membrane of avian eggs, 2149
- Carvalho GR see Gómez A
- Carvalho MC, Streiff R, Guillemaud T, Afonso P, Santos RS & Cancela L. Isolation and characterization of polymorphic microsatellite markers in *Abudefduf luridus* (Pisces: Pomacentridae), 993
- Castella V & Ruedi M. Characterization of highly variable microsatellite loci in the bat *Myotis myotis* (Chiroptera: Vespertilionidae), 1000
- Castella V, Ruedi M, Excoffier L, Ibáñez C, Arlettaz R & Hausser J. Is the Gibraltar Strait a barrier to gene flow for the bat *Myotis myotis* (Chiroptera: Vespertilionidae)?, 1761
- Castleberry SB, King TL, Wood PB & Ford WM. Microsatellite DNA markers for the study of Allegheny woodrat (*Neotoma magister*) populations and cross-species amplification in the genus *Neotoma*, 824
- Catzeffis F see Guillemin M-L
- Celebrano G see Franck P
- Cella R see Congiu L
- Cerqueira R see Almeida FC
- Chan Y see Smith TB
- Chang MS see Walton C
- Chaplin JA see Yap ES
- Chapuisat M, Painter JN & Crozier RH. Microsatellite markers for *Rhytidoponera metallica* and other ponerine ants, 2219
- Charbonnel N, Angers B, Razatavonjizay R, Bremond P & Jarne P. Microsatellite variation in the freshwater snail *Biomphalaria pfeifferi*, 1006
- Charters YM see Wilkinson MJ
- Chen F see Yue GH
- Chen Y, Giles KL, Payton ME & Greenstone MH. Identifying key cereal aphid predators by molecular gut analysis, 1887
- Chiang TY see Wang JP
- Chicca M see Congiu L
- Child AR see Iyengar A
- Chirhart SE, Honeycutt RL & Greenbaum IF. Microsatellite markers for the deer mouse *Peromyscus maniculatus*, 1669
- Chow S, Okamoto H, Miyabe N, Hiramatsu K & Barut N. Genetic divergence between Atlantic and Indo-Pacific stocks of bigeye tuna (*Thunnus obesus*) and admixture around South Africa, 221
- Christidis L see Osborne MJ
- Clapham PJ see Rosenbaum HC
- Clapp JP, Van der Stoep CD & Van der Putten, WH. Rapid identification of cyst (*Heterodera* spp., *Globodera* spp.) and root-knot (*Meloidogyne* spp.) nematodes on the basis of ITS2 sequence variation detected by PCR-single-strand conformational polymorphism (PCR-SSCP) in cultures and field samples, 1223
- Clark W see Carmichael LE
- Clarke MF see Painter JN
- Clausing G, Vickers K & Kadereit JW. Historical biogeography in a linear system: genetic variation of Sea Rocket (*Cakile maritima*) and Sea Holly (*Eryngium maritimum*) along European coasts, 1823
- Clement M, Posada D & Crandall KA. TCS: a computer program to estimate gene genealogies, 1657
- Cloarec A see Jobet E
- Clout MN see Sarre SD
- Cobb M, Huet M, Lachaise D & Veuille M. Fragmented forests, evolving flies: molecular variation in African populations of *Drosophila teissieri*, 1591
- Collins BS see Kreher SA
- Collins FH see Sinkins SP
- Collins FH see Walton C
- Combes MC, Andrzejewski S, Anthony F, Bertrand B, Rovelli P, Graziosi G & Lashermes P. Characterization of microsatellite loci in *Coffea arabica* and related coffee species, 1178
- Comes HP & Abbott RJ. Random amplified polymorphic DNA (RAPD) and quantitative trait analyses across a major phylogeographical break in the Mediterranean ragwort *Senecio gallicus* Vill. (Asteraceae), 61
- Comstock KE, Wasser SK & Ostrander EA. Polymorphic microsatellite DNA loci identified in the African elephant (*Loxodonta africana*), 1004
- Congiu L, Chicca M, Cella R, Rossi R & Bernacchia G. The use of random amplified polymorphic DNA (RAPD) markers to identify strawberry varieties: a forensic application, 229
- Conroy CJ & Cook JA. Phylogeography of a post-glacial colonizer: *Microtus longicaudus* (Rodentia: Muridae), 165
- Cook JA see Conroy CJ
- Cooper DW see Le Page SL
- Cooper DW see Taylor AC
- Cooper ML. Random amplified polymorphic DNA analysis of southern brown bandicoot (*Isodon obesulus*) populations in Western Australia reveals genetic differentiation related to environmental variables, 469
- Corlett RT see Ng S-C
- Cornuet J-M see Franck P
- Cornuet J-M see Estoup A
- Cortinas MN see Tikel D
- Costantini C see Sinkins SP
- Coughlan J see Dillane E
- Coughlan J, Stefansson M, Galvin P, Dillane E, Fitzgerald R & Cross TF. Isolation and characterization of 11 microsatellite loci in Atlantic halibut (*Hippoglossus hippoglossus* L.), 822
- Coughlin WD see Malloy Jr TP
- Cowan PE see Taylor AC
- Cozzolino S see Widmer A
- Crandall KA see Clement M
- Crandall KA see Posada D
- Crochet P-A. Genetic structure of avian populations – allozymes revisited, 1463
- Cross TF see Coughlan J
- Cross TF see Dillane E
- Crozier RH see Chapuisat M
- Crozier RH see Painter JN
- Crozier RH see Sanetra M
- Crozier RH see Thompson GJ
- Cuguen J see Desplanque B
- Cuguen J see Raspé O
- Curtis JM & Taylor EB. Isolation and characterization of microsatellite loci in the Pacific giant salamander *Dicamptodon tenebrosus*, 116
- Dafni A see Widmer A
- Dahlberg A see Köljalg U
- Dallas JF see Piernsey SB
- Dancik BP see Rajora OP
- Danzman RG see Hébert C
- Davenport IJ see Wilkinson MJ

- David VA see Sarno RJ
 Davies C see van Herwerden L
 Davis C, Keane B, Swanson B, Loew S, Waser PM, Strobeck C & Fleischer, RC. Characterization of microsatellite loci in bannertailed and giant kangaroo rats, *Dipodomys spectabilis* and *Dipodomys ingens*, 642
 Davis CS see Zittlau KA
 Dawson DA see Richardson DS
 Dawson DA, Hanotte O, Greig C, Stewart IRK & Burke T. Polymorphic microsatellites in the blue tit *Parus caeruleus* and their cross-species utility in 20 songbird families, 1941
 Dawson IK see Lowe AJ
 Dawson RJG see Gibbs HL
 Day KP see Anderson TJC
 De Gaudemar B see Martinez JL
 Dean T see Nelson WS
 Dedryver C-A see Haack L
 Degen L see Trouvé S
 Degnan BM see Selvamani MJP
 Degnan SM see Selvamani MJP
 van Delden W see van de Zande L
 Dendanto D see Brown BL
 Derschum HS see Gerlach G
 DeSalle R see Rosenbaum HC
 Desplanque B, Viard E, Bernard J, Forcioli D, Saumitou-Laprade P, Cuguen J & Van Dijk H. The linkage disequilibrium between chloroplast DNA and mitochondrial DNA haplotypes in *Beta vulgaris* ssp. *maritima* (L.): the usefulness of both genomes for population genetic studies, 141
 Dessaux Y see Oger P
 Deunff J see Guillet S
 DeWoody JA, Fletcher DE, Mackiewicz M, Wilkins SD & Avise JC. The genetic mating system of spotted sunfish (*Lepomis punctatus*): mate numbers and the influence of male reproductive parasites, 2119
 Di Lauro R see Procaccini G
 Dijkstra LH see Waters JM
 Dillane E see Coughlan J
 Dillane E, Galvin P, Coughlan J, Rodhouse PGK & Cross TE. Polymorphic variable number of tandem repeat (VNTR) loci in the ommastrephid squid, *Illex coindetii* and *Todaropsis eblanae*, 1002
 Dimoski P, Toth GP & Bagley MJ. Microsatellite characterization in central stoneroller *Camptostoma anomalum* (Pisces: Cyprinidae), 2187
 Ditchfield AD. The comparative phylogeography of Neotropical mammals: patterns of intraspecific mitochondrial DNA variation among bats contrasted to nonvolant small mammals, 1307
 Dizon AE see Escorza-Treviño S
 Dodson JJ see Garant D
 Doncaster CP see Henderson M
 Donnellan SC see Haigh L
 Downie DA. Patterns of genetic variation in native grape phylloxera on two sympatric host species, 505
 Drummond RSM, Keeling DJ, Richardson TE, Gardner RC & Wright, SD. Genetic analysis and conservation of 31 surviving individuals of a rare New Zealand tree, *Metrosideros bartlettii* (Myrtaceae), 1149
 Duan W see Huyvaert KP
 Dumas S see Caron H
 Dunn PO see Whittingham LA
 Durand P see Jobet E
 Durand P see Trouvé S
 Durand P, Sire C & Théron A. Isolation of microsatellite markers in the digenetic trematode *Schistosoma mansoni* from Guadeloupe island, 997
 Dutech C, Amsellem L, Billotte N & Jarne P. Characterization of (GA)_n microsatellite loci using an enrichment protocol in the neotropical tree species *Vouacapoua americana*, 1433
 Dutech C, Maggia L & Joly H. Chloroplast diversity in *Vouacapoua americana* (Caesalpiniaceae), a neotropical forest tree, 1427
 Early G see Fullard KJ
 Echelle AA see Malloy Jr TP
 Edwards KJ see Green JM
 Edwards KJ see Keys RN
 Edwards KJ see van der Strate HJ
 Eggert LS, Ramakrishnan U, Mundy NI & Woodruff DS. Polymorphic microsatellite DNA markers in the African elephant (*Loxodonta africana*) and their use in the Asian elephant (*Elephas maximus*), 2223
 Ehrlich D, Fedorov VB, Stenseth NC, Krebs CJ & Kenney A. Phylogeography and mitochondrial DNA (mtDNA) diversity in North American collared lemmings (*Dicrostonyx groenlandicus*), 329
 Eklund U see Hörmfeldt B
 Ellegren H see Berlin S
 Ellegren H see Hörmfeldt B
 Elliott NG see Evans B
 Eloy NB see Cardoso SRS
 Emery AM see Greatorex EC
 Emery AM, Shaw PW, Greatorex EC, Boyle PR & Noble LR. New microsatellite markers for the assessment of paternity in the squid *Loligo forbesi* (Mollusca: Cephalopoda), 110
 Engbrecht CC, Freyhof J, Nolte A, Rassmann K, Schliewen U & Tautz D. Phylogeography of the bullhead *Cottus gobio* (Pisces: Teleostei: Cottidae) suggests a pre-Pleistocene origin of the major central European populations, 709
 Epplen JT see Kaib M
 Epplen JT see Ouborg NJ
 Epplen JT see Saumitou-Laprade P
 Erickson ML see Symondson WOC
 Ernest HB, Penedo MCT, May BF, Syvanen M & Boyce WM. Molecular tracking of mountain lions in the Yosemite Valley region in California: genetic analysis using microsatellites and faecal DNA, 433
 Escaravage N see Pornon A
 Escobar-Páramo P. Microsatellite primers for the wild brown capuchin monkey *Cebus apella*, 107
 Escorza-Treviño S & Dizon AE. Phylogeography, intraspecific structure, and sex-biased dispersal of Dall's porpoise, *Phocoenoides dalli*, revealed by mitochondrial and microsatellite DNA analyses, 1049
 Estoup A see Leblois R
 Estoup A see Pope LC
 Estoup A see Tikel D
 Estoup A, Largiadèr CR, Cornuet J-M, Gharbi K, Pesa P & Guyomard R. Juxtaposed microsatellite systems as diagnostic markers for admixture: an empirical evaluation with brown trout (*Salmo trutta*) as model organism, 1873
 Evans B, White RWG & Elliott NG. Characterization of microsatellite loci in the Australian Blacklip abalone (*Haliotis rubra*, Leach), 1183

- Evans JD. Microsatellite loci in the honey bee parasite mite *Varroa jacobsoni*, 1436
- Excoffier L see Castella V
- Fady B see Keys RN
- Farmerie W see García-Rodríguez AI
- Farmerie WG see Walker RS
- Farrell LE, Roman J & Sunquist ME. Dietary separation of sympatric carnivores identified by molecular analysis of scats, 1583
- Fedorov VB see Ehrich D
- Fellendorf M see Mohra C
- Fellers GM see Schaffer HB
- Fenton B see Malloch G
- Ferrand N see Alexandrino J
- Ferrand N see Queney C
- Ferreira PCG see Cardoso SRS
- Ferris C see Anttila CK
- Fickel J & Reinsch A. Microsatellite markers for the European Roe deer (*Capreolus capreolus*), 994
- Fineschi S, Turchini D, Villani F & Vendramin GG. Chloroplast DNA polymorphism reveals little geographical structure in *Castanea sativa* Mill. (Fagaceae) throughout southern European countries, 1495
- Fitzgerald R see Coughlan J
- Fleischer RC see Davis C
- Fleischer RC see Fonseca DM
- Fleischer RC see Woonnick L
- Fletcher DE see DeWoody JA
- Fonseca DM, LaPointe DA & Fleischer RC. Bottlenecks and multiple introductions: population genetics of the vector of avian malaria in Hawaii, 1803
- Forcioli D see Desplanque B
- Ford MJ. Effects of natural selection on patterns of DNA sequence variation at the transferrin, somatolactin, and p53 genes within and among chinook salmon (*Oncorhynchus tshawytscha*) populations, 843
- Ford WM see Castleberry SB
- Foré SA see Kreher SA
- Foster KR, Ratnieks FLW & Raybould AF. Do hornets have zombie workers?, 735
- Fowler EV, Houlden BA, Hoeben P & Timms P. Genetic diversity and gene flow among southeastern Queensland koalas (*Phascolarctos cinereus*), 155
- Franck P, Garnery L, Celebrano G, Solignac M & Cornuet J-M. Hybrid origins of honeybees from Italy (*Apis mellifera ligustica*) and Sicily (*A. m. sicula*), 907
- Franklin DE see Brown BL
- Franklin WL see Sarno RJ
- Fransson PM see Køljalg U
- Franzén R see Waits L
- Freeland JR, Noble LR & Okamura B. Genetic diversity of North American populations of *Cristatella mucedo*, inferred from microsatellite and mitochondrial DNA, 1375
- French J see Sunnucks P
- Fréville H, Imbert E, Justy F, Vitalis R & Olivieri I. Isolation and characterization of microsatellites in the endemic species *Centaurea corymbosa* Pourret (Asteraceae) and other related species, 1671
- Freyhof J see Englbrecht CC
- Friar EA, LaDoux T, Roalson EH & Robichaux RH. Microsatellite analysis of a population crash and bottleneck in the Mauna Kea silversword, *Argyroxiphium sandwicense* ssp. *sandwicense* (Asteraceae), and its implications for reintroduction, 2027
- Fricke BL see Taylor AC
- Fridolfsson A-K see Hörmfeldt B
- Friesen VL see Holder K
- Friesen VL see Ibarguchi G
- Fritz RS see Hardig TM
- Froud-Williams RJ see Green JM
- Froufe E see Alexandrino J
- Fu J see Murphy RW
- Fullard KJ, Early G, Heide-Jørgensen MP, Bloch D, Rosing-Asvid A & Amos W. Population structure of long-finned pilot whales in the North Atlantic: a correlation with sea surface temperature?, 949
- Gabbriellini R see Mengoni A
- Gaffney PM see Brown BL
- Gaines MS see Wang Y
- Galdi F see Mengoni A
- Gallardo MH see Schroeder JW
- Galvin P see Coughlan J
- Galvin P see Dillane E
- Garant D, Dodson JJ & Bernatchez L. Ecological determinants and temporal stability of within-river population structure in Atlantic salmon (*Salmo salar* L.), 615
- García-Martínez J & Rodríguez-Valera E. Microdiversity of uncultured marine prokaryotes: the SAR11 cluster and the marine Archaea of Group I, 935
- García-Rodríguez AI, Moraga-Amador D, Farmerie W, McGuire P & King TL. Isolation and characterization of microsatellite DNA markers in the Florida manatee (*Trichechus manatus latirostris*) and their application in selected Sirenian species, 2161
- García-Vázquez E see Martínez JL
- Gardner RC see Drummond RSM
- Garner TWJ, Brinkmann H, Gerlach G, Meyer A, Ward PI, Spörri M & Hosken DJ. Polymorphic DNA microsatellites identified in the yellow dung fly (*Scathophaga stercoraria*), 2207
- Garner TWJ, Gautschi B, Röthlisberger S & Reyer H-U. A set of CA repeat microsatellite markers derived from the pool frog, *Rana lessonae*, 2173
- Garnery L see Franck P
- Gaudeul M, Taberlet P & Till-Bottraud I. Genetic diversity in an endangered alpine plant, *Eryngium alpinum* L. (Apiaceae), inferred from amplified fragment length polymorphism markers, 1625
- Gauthier J-P see Haack L
- Gautschi B see Garner TWJ
- Gautschi B see Soliva M
- Gautschi B, Tenzer I, Müller JP & Schmid B. Isolation and characterization of microsatellite loci in the bearded vulture (*Gypaetus barbatus*) and cross-amplification in three Old World vulture species, 2193
- Gautschi B, Widmer A & Koella J. Isolation and characterization of microsatellite loci in the dice snake (*Natrix tessellata*), 2191
- Geistlinger J see Rodríguez H
- Geistlinger J, Weising K, Winter P & Kahl G. Locus-specific microsatellite markers for the fungal chickpea pathogen *Didymella rabiei* (anamorph) *Ascochyta rabiei*, 1939

- Gerber S, Mariette S, Streiff R, Bodénès C & Kremer A. Comparison of microsatellites and amplified fragment length polymorphism markers for parentage analysis, 1037
- Gerlach G see Garner TWJ
- Gerlach G see Harr B
- Gerlach G, Derschum HS, Martin Y & Brinkmann H. Characterization and isolation of DNA microsatellite primers in hyrax species (*Procavia johnstoni* and *Heterohyrax brucei*, hyracoidea), 1675
- Gertsch PJ see Ortius-Lechner D
- Gharbi K see Estoup A
- Giannasi N, Thorpe RS & Malhotra A. A phylogenetic analysis of body size evolution in the *Anolis roquet* group (Sauria: Iguanidae): character displacement or size assortment?, 193
- Gibbs HL see Milot E
- Gibbs HL see Schulte-Hostedde AI
- Gibbs HL, Dawson RJG & Hobson KA. Limited differentiation in microsatellite DNA variation among northern populations of the yellow warbler: evidence for male-biased gene flow?, 2137
- Giles KL see Chen Y
- Gillies ACM see Lowe AJ
- Gines-Candelaria EA see Wang Y
- Giraud T, Blatrix R, Poteaux C, Solignac M & Jaisson P. Population structure and mating biology of the polygynous ponerine ant *Gnamptogenys striatula* in Brazil, 1835
- Girlanda M see Bergero R
- Girman D see Smith TB
- Gittleman JL see Kays RW
- Gjertz I see Wynen LP
- Glen DM see Symondson WOC
- Godoy JA see Jordano P
- Goldsworthy SD see Wynen LP
- Gómez A & Carvalho GR. Sex, parthenogenesis and genetic structure of rotifers: microsatellite analysis of contemporary and resting egg bank populations, 203
- Gómez-Zurita J, Petitpierre E & Juan C. Nested cladistic analysis, phylogeography and speciation in the *Timarcha goettingensis* complex (Coleoptera, Chrysomelidae), 557
- Gonnelli C see Mengoni A
- Goodall-Copestake WP see Ouborg NJ
- Gosling EM see Small MP
- Goto M see Rosenbaum HC
- Goudet J see Trouvé S
- Gouin N, Grandjean F & Souty-Grosset C. Characterization of microsatellite loci in the endangered freshwater crayfish *Austropotamobius pallipes* (Astacidae) and their potential use in other decapods, 636
- Goulson D see Harper GL
- Grahn M see Langefors Å
- Grandjean F see Gouin N
- Graves JE see Buonaccorsi VP
- Graziosi G see Combes MC
- Greatorex EC see Emery AM
- Greatorex EC, Jones CS, Murphy J, Key LN, Emery AM & Boyle PR. Microsatellite markers for investigating population structure in *Octopus vulgaris* (Mollusca: Cephalopoda), 641
- Green JM, Edwards KJ, Usher SL, Barker JHA, Marshall EJP, Froud-Williams RJ & Karp A. Microsatellites for Barren Brome (*Anisantha sterilis*), 2195
- Greenbaum IF see Chirhart SE
- Greene HW see Parkinson CL
- Greenstone MH see Chen Y
- Greig C see Dawson DA
- Groen AF see van Hooft WF
- Gross MR see Neff BD
- Gross MR see Neff BD
- Gübitz T, Thorpe RS & Malhotra A. Phylogeography and natural selection in the Tenerife gecko *Tarentola delalandii*: testing historical and adaptive hypotheses, 1213
- Guégan JF see Trouvé S
- Guillemard T, Streiff R, Serrão Santos R, Alfonso P, Morato T & Canela ML. Microsatellite characterization in the rainbow wrasse *Coris julis* (Pisces: Labridae), 631
- Guillemaud T see Carvalho MC
- Guillemin M-L, Lavergne A & Catzeffis F. Microsatellite markers in the common grey four-eyed opossum (*Philander opossum*: Didelphidae, Marsupialia), 1440
- Guiller A, Arnaud J-E, Vautrin D & Solignac M. Highly polymorphic microsatellite markers in the landsnail *Helix aspersa* (Mollusca Gastropoda), 1191
- Guillet S & Deunff J. Isolation and characterization of four polymorphic microsatellite loci in *Forficula auricularia* L. (Dermaptera: Forficulidae), 1685
- Guinet C see Wynen LP
- Gustafsson S. Patterns of genetic variation in *Gymnadenia conopsea*, the fragrant orchid, 1863
- Guyomard R see Estoup A
- Haack L, Simon J-C, Gauthier J-P, Plantegenest M & Dedryver C-A. Evidence for predominant clones in a cyclically parthenogenetic organism provided by combined demographic and genetic analysis, 2055
- Haavie J, Sætre G-P & Moum T. Discrepancies in population differentiation at microsatellites, mitochondrial DNA and plumage colour in the pied flycatcher – inferring evolutionary processes, 1137
- Hacker M see Kaib M
- Hackett BJ see Sinkins SP
- Haigh L & Donnellan SC. Characterization of microsatellite loci in King George Whiting *Sillaginodes punctata* Cuvier and Valenciennes (Percoidei: Sillaginidae), 2214
- Hakki EE & Akkaya MS. Microsatellite isolation using amplified fragment length polymorphism markers: no cloning, no screening, 2152
- Hallenberg N see Köljal U
- Halverson JL see Millar CD
- Hamilton P see Rosenbaum HC
- Hamr J see Polziehn RO
- Hamrick JL see Hufford KM
- Han G see Schroeder JW
- Handley JM see Walton C
- Hanotte O see Dawson DA
- Hanotte O, Tawah CL, Bradley DG, Okomo M, Verjee Y, Ochieng J & Rege JEO. Geographic distribution and frequency of a taurine *Bos taurus* and an indicine *Bos indicus* Y specific allele amongst sub-Saharan African cattle breeds, 387
- Hansen MM, Ruzzante DE, Nielson EE & Mensberg K-LD. Microsatellite and mitochondrial DNA polymorphism reveals life-history dependent interbreeding between hatchery and wild brown trout (*Salmo trutta* L.), 583
- Hanslik S & Kruckenhauser L. Microsatellite loci for two European sciurid species (*Marmota marmota*, *Spermophilus citellus*), 2163

- Hansson B, Bensch S, Hasselquist D, Lilland B-G, Wennerberg L & von Schantz T. Increase of genetic variation over time in a recently founded population of great reed warblers (*Acrocephalus arundinaceus*) revealed by microsatellites and DNA fingerprinting, 1529
- Hara M see Sekino M
- Hara M see Sekino M
- Harbach RE see Walton C
- Hardig TM, Brunsfeld SJ, Fritz RS, Morgan M & Orians CM. Morphological and molecular evidence for hybridization and introgression in a willow (*Salix*) hybrid zone, 9
- Hardt C see Kaib M
- Hardt C see Saumitou-Laprade P
- Hardy O see Teidemann R
- Harper GL, Piyapattanakorn S, Goulson D & Maclean N. Isolation of microsatellite markers from the Adonis blue butterfly (*Lysandra bellargus*), 1948
- Harr B, Musolf K & Gerlach G. Characterization and isolation of DNA microsatellite primers in wood mice (*Apodemus sylvaticus*, Rodentia), 1664
- Harris D, Rogers DS & Sullivan J. Phylogeography of *Peromyscus furvus* (Rodentia: Muridae) based on cytochrome *b* sequence data, 2129
- Hasegawa O, Ishibashi Y & Abe S. Isolation and characterization of microsatellite loci in the red-crowned crane *Grus japonensis*, 1677
- Hasselquist D see Hansson B
- Haubold B see Sharbel TF
- Haugen TO see Koskinen MT
- Hausser J see Castella V
- Hawkins CE see Piertney SB
- Hayashi I see Suyama Y
- Hébert C, Danzman RG, Jones MW & Bernatchez L. Hydrography and population genetic structure in brook charr (*Salvelinus fontinalis*, Mitchill) from eastern Canada, 971
- Heckel G, Achmann R & Mayer F. Highly polymorphic microsatellite markers in the white-lined bat (*Saccopteryx bilineata*), 242
- Heide-Jørgensen MP see Fullard KJ
- Heipel DA see Iyengar A
- Heller KG see Achmann R
- Henderson G see Vargo EL
- Henderson M, Becher SA, Doncaster CP & Maclean N. Five new polymorphic microsatellite loci in the European hedgehog *Erinaceus europaeus*, 1949
- Henry R see Maguire T
- Henshaw MT. Microsatellite loci for the social wasp *Polistes dominulus* and their application in other polistine wasps, 2155
- Herger F see Largiadèr CR
- van Herwerden L, Benzie J, Peplow L & Davies C. Microsatellite markers for coral trout (*Plectropomus laevis*) and red throat emperor (*Lethrinus miniatus*) and their utility in other species of reef fish, 1929
- Hess J, Kedereit JW & Vargas P. The colonization history of *Olea europaea* L. in Macaronesia based on internal transcribed spacer 1 (ITS-1) sequences, randomly amplified polymorphic DNAs (RAPD), and intersimple sequence repeats (ISSR), 857
- Hewitt GM see Ibrahim KM
- Hewitt GM see Lundy CJ
- Hill JI see Yue GH
- Hipkiss T see Hörnfeldt B
- Hiramatsu K see Chow S
- Hobson KA see Gibbs HL
- Hobson KA see Milot E
- Hoeben P see Fowler EV
- Hoey EM see Blomster J
- Hofmeyr GJG see Wynen LP
- Hofreiter M, Poinar HN, Spaulding WG, Bauer K, Martin PS, Possnert G & Pääbo S. A molecular analysis of ground sloth diet through the last glaciation, 1975
- Hogetsu T see Lian C
- Hogetsu T see Miwa M
- Holder K see Smith TB
- Holder K, Montgomerie R & Friesen VL. Glacial vicariance and historical biogeography of rock ptarmigan (*Lagopus mutus*) in the Bering region, 1265
- Honeycutt RL see Chirhart SE
- Honeycutt RL see Schroeder JW
- Hong M see Brown BL
- van Hooft WF, Groen AF & Prins HHT. Microsatellite analysis of genetic diversity in African buffalo (*Syncerus caffer*) populations throughout Africa, 2017
- Hörnfeldt B, Hipkiss T, Fridolfsson A-K, Eklund U & Ellegren, H. Sex ratio and fledging success of supplementary-fed Tengmalm's owl broods, 187
- Hosken DJ see Garner TWJ
- Hossaert-McKey M see Amsellem L
- Houlden BA see Fowler EV
- Howell BR see Iyengar A
- Høyheim B see Cairney M
- Hsu KC see Wang JP
- Huet M see Cobb M
- Hufford KM, Kochert G & Hamrick JL. Microsatellite primers and amplification of aborted embryos in *Platypodium elegans* J. Vogel (Fabaceae, Papilionoideae), 1174
- Hughes CR & Larson ED. Characterization of microsatellite loci developed for the wattled curassow, *Crax globulosa*, 632
- Hughes CR see Wang Y
- Hughes JM see McGlashan DJ
- Hugot J-P see Jobet E
- van de Hulst RGM, Mes THM, den Nijs JCM & Bachmann K. Amplified fragment length polymorphism (AFLP) markers reveal that population structure of triploid dandelions (*Taraxacum officinale*) exhibits both clonality and recombination, 1
- Hurtrez-Boussès S see Trouvé S
- Huyvaert KP, Anderson DJ, Jones TC, Duan W & Parker PG. Extra-pair paternity in waved albatrosses, 1415
- Ibáñez C see Castella V
- Ibarguchi G, Birt TP, Warheit KI, Boag PT & Friesen VL. Microsatellite loci from common and thick-billed murrelets, *Uria aalge* and *U. lomvia*, 638
- Ibrahim KM, Sourrouille P & Hewitt GM. Are recession populations of the desert locust (*Schistocerca gregaria*) remnants of past swarms?, 783
- Imbert E see Fréville H
- Isagi Y see Kitahara E
- Ishibashi Y see Hasegawa O
- Ishibashi Y see Kitahara E
- Ishibashi Y, Mikami O & Abe S. Isolation and characterization of microsatellite loci in the Japanese marsh warbler *Locustella pryeri*, 373

- Isoda K, Shiraishi S, Watanabe W & Kitamura K. Molecular evidence of natural hybridization between *Abies veitchii* and *A. homolepis* (Pinaceae) revealed by the chloroplast, mitochondrial and nuclear DNA markers, 1965
- Iwata H, Konuma A & Tsumura Y. Development of microsatellite markers in the tropical tree *Neobalanocarpus heimii* (Dipterocarpaceae), 1684
- Iyengar A see Morgan TS
- Iyengar A see Stockley BM
- Iyengar A, Piyapattanakorn S, Heipel DA, Stone DM, Howell BR, Child AR & Maclean N. A suite of highly polymorphic microsatellite markers in turbot (*Scophthalmus maximus* L.) with potential for use across several flatfish species, 368
- Jackson RB see Linder CR
- Jacquemart A-L see Raspé O
- Jaisson P see Giraud T
- James CH & Moritz C. Intraspecific phylogeography in the sedge frog *Litoria fallax* (Hylidae) indicates pre-Pleistocene vicariance of an open forest species from eastern Australia, 349
- Janßen A see Sander T
- Jarne P see Charbonnel N
- Jarne P see Dutech C
- Jarne P see Mavárez J
- Ji W see Sarre SD
- Jobet E, Durand P, Langand J, Müller-Graf CDM, Hugot J-P, Bougnoux M-E, Rivault C, Cloarec A & Morand S. Comparative genetic diversity of parasites and their hosts: population structure of an urban cockroach and its haplo-diploid parasite (oxyuroid nematode), 481
- Johannesson HS, Johannesson KHP & Stenlid J. Development of primer sets to amplify fragments of conserved genes for use in population studies of the fungus *Daldinia loculata*, 375
- Johannesson KHP see Johannesson HS
- Johansson M see Spong G
- Johnson JB & Jordan S. Phylogenetic divergence in leatherside chub (*Gila copei*) inferred from mitochondrial cytochrome b sequences, 1029
- Johnson PCD, Llewellyn KS & Amos W. Microsatellite loci for studying clonal mixing, population structure and inbreeding in a social aphid, *Pemphigus spyrothecae* (Hemiptera: Pemphigidae), 1445
- Johnson WE see Sarno RJ
- Joly HI see Dutech C
- Jones AE see Wilkinson MJ
- Jones CS see Greatorex EC
- Jones CS see Pardini AT
- Jones G see Rossiter SJ
- Jones KC see Olsen JB
- Jones MW see Hébert C
- Jones TC see Huyvaert KP
- de Jong D see van de Zande L
- Jonsson L see Köljal U
- Jordan S see Johnson JB
- Jordano P & Godoy JA. RAPD variation and population genetic structure in *Prunus mahaleb* (Rosaceae), an animal-dispersed tree, 1293
- Jørgensen H see Bérubé M
- Juan C see Gómez-Zurita J
- Jury FL see Richardson DS
- Justy F see Fréville H
- Kadereit JW see Clausen G
- Kahl G see Geistlinger J
- Kahl G see Rodriguez H
- Kaib M, Hacker M, Over I, Hardt C, Epplen JT, Bagine RKN & Brandl R. Microsatellite loci in *Macrotermes michaelsoni* (Isoptera: Termitidae), 502
- Kara H see Lemaire C
- Kårén O see Köljal U
- Karp A see Green JM
- Karron JD see Reinartz GE
- Kasuya E see Sakisaka Y
- Kawahara T see Ueno S
- Kays RW, Gittleman JL & Wayne RK. Microsatellite analysis of kinkajou social organization, 743
- Keane B see Davis C
- Kedereit JW see Hess J
- Keeling DJ see Drummond RSM
- Keiper FJ & McConchie R. An analysis of genetic variation in natural populations of *Sticherus flabellatus* [R. Br. (St John)] using amplified fragment length polymorphism (AFLP) markers, 571
- Keller G see McCartney MA
- Keller L see Krieger MJB
- Kempenaers B see Carter KL
- Kenney A see Ehrlich D
- Kerth G, Mayer F & König B. Mitochondrial DNA (mtDNA) reveals that female Bechstein's bats live in closed societies, 793
- Key LN see Greatorex EC
- Keys RN, Autino A, Edwards KJ, Fady B, Pichot C & Vendramin GG. Characterization of nuclear microsatellites in *Pinus halepensis* Mill. and their inheritance in *P. halepensis* and *Pinus brutia* Ten., 2157
- King RA see Anttila CK
- King TL see Castleberry SB
- King TL see Garcia-Rodriguez AI
- Kitahara E, Isagi Y, Ishibashi Y & Saitoh T. Polymorphic microsatellite DNA markers in the Asiatic black bear *Ursus thibetanus*, 1661
- Kitamura K see Isoda K
- Kochert G see Hufford KM
- Koella J see Gautschi B
- Kojima K see Miwa M
- Köljal U, Dahlberg A, Taylor AFS, Larsson E, Hallenberg N, Stenlid J, Larsson K-H, Fransson PM, Kårén O & Jonsson L. Diversity and abundance of resupinate telephoroid fungi as ectomycorrhizal symbionts in Swedish boreal forests, 1985
- Komdeur J see Richardson DS
- König B see Kerth G
- König S see Sander T
- Konuma A see Iwata H
- Konuma A, Tsumura Y, Lee CT, Lee SL & Okuda T. Estimation of gene flow in the tropical-rainforest tree *Neobalanocarpus heimii* (Dipterocarpaceae), inferred from paternity analysis, 1843
- Kornfield I see Brown BL
- Koskinen MT, Ranta E, Piironen J, Veselov A, Titov S, Haugen TO, Nilsson J, Carlstein M & Primmer CR. Genetic lineages and postglacial colonization of grayling (*Thymallus thymallus*, Salmonidae) in Europe, as revealed by mitochondrial DNA analyses, 1609

- Krauss SL. Accurate gene diversity estimates from amplified fragment length polymorphism (AFLP) markers, 1241
- Krebs CJ see Ehrich D
- Kreher SA, Foré SA & Collins BS. Genetic variation within and among patches of the clonal species, *Vaccinium stamineum* L., 1247
- Kreiser BR see Mitton JB
- Kremer A see Caron H
- Kremer A see Gerber S
- Kretschmer EJ see Olsen JB
- Kretzer AM, Molina R & Spatafora JW. Microsatellite markers for the ectomycorrhizal basidiomycete *Rhizopogon vinicolor*, 1190
- Krieger MJB & Keller L. Mating frequency and genetic structure of the Argentine ant *Linepithema humile*, 119
- Kruckenhauser L see Hanslik S
- Lachaise D see Cobb M
- LaDoux T see Friar EA
- Laimer da Câmara Machado M see Sefc KM
- Lambert DM see Millar CD
- Lambert DM see Sarre SD
- Landi M see Zhu Y
- Langand J see Jobet E
- Langdon CJ see Symondson WOC
- Langefors Å, Lohm J, von Schantz T & Grahn M. Screening of Mhc variation in Atlantic salmon (*Salmo salar*): a comparison of restriction fragment length polymorphism (RFLP), denaturing gradient gel electrophoresis (DGGE) and sequencing, 215
- LaPointe DA see Fonseca DM
- Largiadèr CR see Arigoni S
- Largiadèr CR see Estoup A
- Largiadèr CR, Herger F, Lörtscher M & Scholl A. Assessment of natural and artificial propagation of the white-clawed crayfish (*Austropotamobius pallipes* species complex) in the Alpine region with nuclear and mitochondrial markers, 25
- Larison B see Smith TB
- Larson ED see Hughes CR
- Larsson E see Köljal U
- Larsson K-H see Köljal U
- Lashermes P see Combes MC
- Latta RG see Mitton JB
- Lavergne A see Guillemin M-L
- Le Bourgeois T see Amsellem L
- Le Page SL, Livermore RA, Cooper DW & Taylor AC. Genetic analysis of a documented population bottleneck: introduced Bennett's wallabies (*Macropus rufogriseus rufogriseus*) in New Zealand, 753
- Le KD see Miller KM
- Lebas NR & Spencer PBS. Polymorphic microsatellite markers in the ornate dragon lizard, *Ctenophorus ornatus*, 365
- Leberg PL see Spencer CC
- Leblois R see Tikel D
- Leblois R, Rousset F, Tikel D, Moritz C & Estoup A. Absence of evidence for isolation by distance in an expanding cane toad (*Bufo marinus*) population: an individual-based analysis of microsatellite genotypes, 1905
- Leclerc D, Wirth T & Bernatchez L. Isolation and characterization of microsatellite loci in the yellow perch (*Perca flavescens*), and cross-species amplification within the family Percidae, 995
- Lee CT see Konuma A
- Lee SL see Konuma A
- Lehman N see Pfreder ME
- Lehnert SA see Bierné N
- de Lema T see Murphy RW
- Lemaire C, Allegrucci G, Naciri M, Bahri-Sfar L, Kara H & Bonhomme F. Do discrepancies between microsatellite and allozyme variation reveal differential selection between sea and lagoon in the sea bass (*Dicentrarchus labrax*)?, 457
- Lenz M see Thompson GJ
- Lessios HA see McCartney MA
- Li Y see Yue GH
- Lian C, Miwa M & Hogetsu T. Isolation and characterization of microsatellite loci from the Japanese red pine, *Pinus densiflora*, 1186
- Liao Y-Y see Yu H-T
- Libants S, Olle E, Oswald K & Scribner KT. Microsatellite loci in the spotted hyena *Crocuta crocuta*, 1443
- Liddell JE see Symondson WOC
- Lieckfeldt D see Pitra C
- Lifjeld JT see Nesje M
- Lillandt B-G see Hansson B
- Lindberg P see Nesje M
- Linder CR, Moore LA & Jackson RB. A universal molecular method for identifying underground plant parts to species, 1549
- Ling Y-Y see Sinkins SP
- Livermore RA see Le Page SL
- Llewellyn KS see Johnson PCD
- Lockhart PJ see McLenachan PA
- Loew S see Davis C
- Lohm J see Langefors Å
- Long A see Stockley BM
- Lopes MS see Sefc KM
- Lörtscher M see Largiadèr CR
- Lovejoy NR & de Araújo MLG. Molecular systematics, biogeography, and population structure of Neotropical freshwater needlefishes of the genus *Potamorhaphis*, 259
- Lowe AJ, Gillies ACM, Wilson J & Dawson IK. Conservation genetics of bush mango from central/west Africa: implications from random amplified polymorphic DNA analysis, 831
- Lundy CJ, Rico C & Hewitt GM. Temporal and spatial genetic variation in spawning grounds of European hake (*Merluccius merluccius*) in the Bay of Biscay, 2067
- Luppi AM see Bergero R
- Maccatrozzo L see Ostellari L
- Maceda L see Roy NK
- Machordom A, Suárez J, Almodóvar A & Bautista JM. Mitochondrial haplotype variation and phylogeography of Iberian brown trout populations, 1325
- Mackiewicz M see DeWoody JA
- Maclean N see Harper GL
- Maclean N see Henderson M
- Maclean N see Iyengar A
- Magée A see Schaffer HB
- Maggia L see Dutech C
- Maggs CA see Blomster J
- Maguire T, Saenger P, Baverstock P & Henry R. Microsatellite analysis of genetic structure in the mangrove species *Avicennia marina* (Forsk.) Vierh. (Avicenniaceae), 1853
- Malhotra A see Giannasi N
- Malhotra A see Gübitz T

- Malhotra A see Stenson A
 Malik S see Rosenbaum HC
 Malloch G, Fenton B & Butcher RDJ. Molecular evidence for multiple infections of a new subgroup of *Wolbachia* in the European raspberry beetle *Byturus tomentosus*, 77
 Mallory FF see Polziehn RO
 Malloy Jr TP, Van Den Bussche RA, Coughlin WD & Echelle AA. Isolation and characterization of microsatellite loci in small-mouth bass, *Micropterus dolomieu* (Teleostei: Centrarchidae), and cross-species amplification in spotted bass, *M. punctulatus*, 1946
 Manabe T see Ueno S
 Mansouri H see Oger P
 Marchandau S see Queney G
 Mariette S see Gerber S
 Maroja LS see Almeida FC
 Marque G see Caron H
 Marshall EJP see Green JM
 Marshall T see Slate J
 Martin PS see Hofreiter M
 Martin Y see Gerlach G
 Martinez JL, Moran P, Perez J, De Gaudemar B, Beall E & Garcia-Vazquez E. Multiple paternity increases effective size of southern Atlantic salmon populations, 293
 Mason DC see Wilkinson MJ
 Mateu-Andrés I & Segarra-Moragues JG. Population subdivision and genetic diversity in two narrow endemics of *Antirrhinum* L., 2081
 Mather P see Baker N
 Matteotti LS see Scotti I
 Mavárez J, Amarista M, Pointier J-P & Jarne P. Microsatellite variation in the freshwater schistosome-transmitting snail *Biomphalaria glabrata*, 1009
 May B see Belfiore NM
 May BP see Ernest HB
 Mayer F see Heckel G
 Mayer F see Kerth G
 Mayer F see Petit E
 Mayer F, Schlötterer C & Tautz D. Polymorphic microsatellite loci in vespertilionid bats isolated from the noctule bat *Nyctalus noctula*, 2208
 McBreen K see McLenachan PA
 McCartney MA, Keller G & Lessios HA. Dispersal barriers in tropical oceans and speciation in Atlantic and eastern Pacific sea urchins of the genus *Echinometra*, 1391
 McConchie R see Keiper FJ
 McCoy KD & Tirard C. Isolation and characterization of microsatellites in the seabird ectoparasite *Ixodes uriae*, 2213
 McCusker MR, Parkinson E & Taylor EB. Mitochondrial DNA variation in rainbow trout (*Oncorhynchus mykiss*) across its native range: testing biogeographical hypotheses and their relevance to conservation, 2089
 McEwing R see Bérubé M
 McGlashan DJ & Hughes JM. Reconciling patterns of genetic variation with stream structure, earth history and biology in the Australian freshwater fish *Craterocephalus stercusmuscarum* (Atherinidae), 1737
 McGuire P see Garcia-Rodriguez AI
 McLenachan PA, Stöckler K, Winkworth RC, McBreen K, Zauner S & Lockhart PJ. Markers derived from amplified fragment length polymorphism gels for plant ecology and evolution studies, 1899
 Mendonça D see Sefc KM
 Menezes G see Stockley BM
 Mengoni A, Gonnelli C, Galardi F, Gabbriellini R & Bazzicalupo M. Genetic diversity and heavy metal tolerance in populations of *Silene paradoxa* L. (Caryophyllaceae): a random amplified polymorphic DNA analysis, 1319
 Mensberg K-LD see Hansen MM
 Merilä J see Berlin S
 van der Merwe M, Winfield MO, Arnold GM & Parker JS. Spatial and temporal aspects of the genetic structure of *Juniperus communis* populations, 379
 Mes THM see van de Hulst RGM
 Messier C see Caron H
 Meunier C see Trouvé S
 Meyer A see Garner TWJ
 Mikami O see Ishibashi Y
 Milinkovitch MC see Teidemann R
 Milinski M see Binz T
 Millar CD, Taylor GA, Moore PJ, Halverson JL & Lambert DM. A novel restriction fragment length polymorphism for petrels or tube-nosed seabirds, 1915
 Millar JS see Schulte-Hostedde AI
 Miller DJ see van Oppen MJH
 Miller KM, Le KD & Beacham TD. Development of tri- and tetranucleotide repeat microsatellite loci in Atlantic cod (*Gadus morhua*), 238
 Miller KM, Schulze AD & Withler RE. Characterization of microsatellite loci in *Sebastes alutus* and their conservation in congeneric rockfish species, 240
 Miller NJ, Birley AJ & Tatchell GM. Polymorphic microsatellite loci from the lettuce root aphid, *Pemphigus bursarius*, 1951
 Millis AL. Isolation and characterization of microsatellite loci in marsupial gliders (*Petaurus norfolcensis*, *P. brevicauda* and *P. gracilis*), 1681
 Milne RI & Abbott RJ. Origin and evolution of invasive naturalized material of *Rhododendron ponticum* L. in the British Isles, 541
 Milot E, Gibbs HL & Hobson KA. Phylogeography and genetic structure of northern populations of the yellow warbler (*Dendroica petechia*), 667
 Mitchell TG see Xu J
 Mitchell-Olds T see Sharbel TF
 Mitton JB, Kreiser BR & Latta RG. Glacial refugia of limber pine (*Pinus flexilis* James) inferred from the population structure of mitochondrial DNA, 91
 Miura I see Sakisaka Y
 Miwa M see Lian C
 Miwa M, Tanaka R, Shinone M, Kojima K & Hogetsu T. Development of polymorphic microsatellite markers in a tropical tree species, *Melaleuca cajuputi* (Myrtaceae), 639
 Miyabe N see Chow S
 Mohra C, Fellendorf M, Segelbacher G & Paxton RJ. Dinucleotide microsatellite loci for *Andrena vaga* and other andrenid bees from non-enriched and CT-enriched libraries, 2189
 Molina R see Kretzer AM
 Monnerot M see Queney G
 Montgomerie R see Holder K
 Moore LA see Linder CR
 Moore M see Rosenbaum HC
 Moore PJ see Millar CD
 Moore S see Baker N

- Moore SS see Bierne N
 Moraga-Amador D see Garcia-Rodriguez AI
 Moran P see Martinez JL
 Morand S see Jobet E
 Morato T see Guillemard T
 Moreira MAM see Almeida FC
 Moreno A see Pestano J
 Moreteau J-C see Renard E
 Morgan M see Hardig TM
 Morgan TS, Rogers AD & Iyengar A. Novel microsatellite markers for the European oyster, *Ostrea edulis*, 495
 Morgan-Richards M see Trewick SA
 Moritz C see James CH
 Moritz C see Leblois R
 Moritz C see Pope LC
 Moritz C see Tikel D
 Mougél F see Queney G
 Moum T see Haavie J
 Müller JP see Gautschi B
 Müller M see Traxler B
 Müller-Graf CDM see Jobet E
 Muloko-Ntoutoume N, Petit RJ, White L & Abernethy K. Chloroplast DNA variation in a rainforest tree (*Aucoumea klaineana*, Burseraceae) in Gabon, 359
 Mundy NI see Eggert LS
 Murphy J see Greatorex EC
 Murphy RW, Fu J, Upton DE, de Lema T & Zhao E-M. Genetic variability among endangered Chinese giant salamanders, *Andrias davidianus*, 1539
 Murray ND see Osborne MJ
 Musolf K see Harr B
- Naciri M see Lemaire C
 Naish K-A see Tie AD
 Neff BD, Repka J & Gross MR. Parentage analysis with incomplete sampling of candidate parents and offspring, 515
 Neff BD, Repka J & Gross MR. Statistical confidence in parentage analysis with incomplete sampling: how many loci and offspring are needed?, 529
 Neigel JE see Spencer CC
 Nelson WS see Avise JC
 Nelson WS, Dean T & Avise JC. Matrilineal history of the endangered Cape Sable seaside sparrow inferred from mitochondrial DNA polymorphism, 809
 Nesje M & Roed KH. Microsatellite DNA markers from the gyrfalcon (*Falco rusticolus*) and their use in other raptor species, 1438
 Nesje M, Roed KH, Liffield JT, Lindberg P & Steen OF. Genetic relationships in the peregrine falcon (*Falco peregrinus*) analysed by microsatellite DNA markers, 53
 Ng S-C & Corlett RT. Genetic variation and structure in six *Rhododendron* species (Ericaceae) with contrasting local distribution patterns in Hong Kong, China, 959
 Nielson EE see Hansen MM
 den Nijs JCM see van de Hulst RGM
 Nilsson J see Koskinen MT
 Noble LR see Emery AM
 Noble LR see Freeland JR
 Noble LR see Pardini AT
 Nolte A see Englbrecht CC
 Norman JA see Osborne MJ
 Noyer JL see Amsellem L
- O'Keefe K see Smith TB
 O'Brien SJ see Sarno RJ
 O'Connell LM & Ritland CE. Characterization of microsatellite loci in western redcedar (*Thuja plicata*), 1920
 O'Hanlon PC & Peakall R. A simple method for the detection of size homoplasy among amplified fragment length polymorphism fragments, 815
 Obayashi K see Suyama Y
 Ochieng J see Hanotte O
 Oger P, Mansouri H & Dessaux Y. Effect of crop rotation and soil cover on the alteration of the soil microflora generated by the culture of transgenic plants producing opines, 881
 Okamoto H see Chow S
 Okamura B see Freeland JR
 Okomo M see Hanotte O
 Okuda T see Konuma A
 Olivieri I see Fréville H
 Olle E see Libants S
 Olsen JB, Wilson SL, Kretschmer EJ, Jones KC & Seeb JE. Characterization of 14 tetranucleotide microsatellite loci derived from sockeye salmon, 2185
 Olsen JL see Reusch TBH
 Olsen JL see van der Strate HJ
 van Oppen MJH, Willis BL, van Vugt HWJA & Miller DJ. Examination of species boundaries in the *Acropora cervicornis* group (Scleractinia, Cnidaria) using nuclear DNA sequence analyses, 1363
 Orban L see Yue GH
 Orban L see Yue GH
 Orians CM see Hardig TM
 Ortius-Lechner D, Gertsch PJ & Boomsma JJ. Variable microsatellite loci for the leafcutter ant *Acromyrmex echinator* and their applicability to related species, 114
 Osborne MJ, Norman JA, Christidis L & Murray ND. Genetic distinctness of isolated populations of an endangered marsupial, the mountain pygmy-possum, *Burramys parvus*, 609
 Ostellari L, Zane L, Maccatrozzo L, Bargelloni L & Patarnello T. Novel microsatellite loci isolated from the northern krill, *Meganyctiphanes norvegica* (Crustacea, Euphausiacea), 377
 Ostrander EA see Comstock KE
 Oswald K see Libants S
 Ouborg NJ, Goodall-Copestake WP, Saumitou-Laprade P, Bonnin I & Epplen JT. Novel polymorphic microsatellite loci isolated from the yellow waterlily, *Nuphar lutea*, 497
 Over I see Kaib M
 Overall AJ see Worthington Wilmer J
- Pääbo S see Hofreiter M
 Paetkau D see Selvamani MJP
 Paetkau D see Tikel D
 Painter JN see Chapuisat M
 Painter JN, Crozier RH, Poiani A, Robertson RJ & Clarke ME. Complex social organization reflects genetic structure and relatedness in the cooperatively breeding bell miner, *Manorina melanophrys*, 1339
 Palsbøll PJ see Bérubé M
 Pálsson S. Microsatellite variation in *Daphnia pulex* from both sides of the Baltic Sea, 1075
 Pardini AT, Jones CS, Scholl MC & Noble LR. Isolation and characterization of dinucleotide microsatellite loci in the Great White Shark, *Carcharodon carcharias*, 1176
 Parker JS see van der Merwe M

- Parker PG see Huyvaert KP
 Parkinson CL, Zamudio KR & Greene HW. Phylogeography of the pitviper clade *Agkistrodon*: historical ecology, species status, and conservation of cantils, 411
 Parkinson E see McCusker MR
 Pastene LA see Rosenbaum HC
 Patarnello T see Ostellari L
 Patenaude NJ see Rosenbaum HC
 Paxton RJ see Mohra C
 Paxton RJ see Segelbacher G
 Payne R see Rosenbaum HC
 Payton ME see Chen Y
 Peakall R see O'Hanlon PC
 Pellegrino G see Widmer A
 Pemberton J see Slate J
 Penedo MCT see Ernest HB
 Peplow L see van Herwerden L
 Perez J see Martinez JL
 Pérez-Losada M see Shaw PW
 Perotto S see Bergero R
 Perrin C & Roy MS. Rapid and efficient identification of microsatellite loci from the sea urchin, *Evechinus chloroticus*, 2221
 Pertoldi C see Bijlsma R
 Pestano J see Brown RP
 Pestano J, Brown RP, Rodriguez F & Moreno A. Mitochondrial DNA control region diversity in the endangered blue chaffinch, *Fringilla teydea*, 1421
 Petit E & Mayer F. A population genetic analysis of migration: the case of the noctule bat (*Nyctalus noctula*), 683
 Petit RJ see Caron H
 Petit RJ see Muloko-ntoutoume N
 Petitpierre E see Gómez-Zurita J
 Pfrender ME, Spitze K & Lehman N. Multi-locus genetic evidence for rapid ecologically based speciation in *Daphnia*, 1717
 Phillips RB see Reinartz GE
 Pichot C see Keys RN
 Piertney SB, Dallas JE, Hawkins CE & Racey PA. Microsatellite markers for the fossa (*Cryptoprocta ferox*), 489
 Piironen J see Koskinen MT
 Pischetola M see Procaccini G
 Pitra C, Lieckfeldt D & Alonso JC. Population subdivision in Europe's great bustard inferred from mitochondrial and nuclear DNA sequence variation, 1165
 Piyapattanakorn S see Harper GL
 Piyapattanakorn S see Iyengar A
 Plantegenest M see Haack L
 Pohl M see Saeglitz C
 Poiani A see Painter JN
 Poinar HN see Hofreiter M
 Pointier J-P see Mavárez J
 Polziehn RO, Hamr J, Mallory FF & Strobeck C. Microsatellite analysis of North American wapiti (*Cervus elaphus*) populations, 1561
 Pomeroy PP see Worthington Wilmer J
 Pope LC, Estoup A & Moritz C. Phylogeography and population structure of an ecotonal marsupial, *Bettonia tropica*, determined using mtDNA and microsatellites, 2041
 Pornon A, Escaravage N, Thomas P & Taberlet P. Dynamics of genotypic structure in clonal *Rhododendron ferrugineum* (Ericaceae) populations, 1099
 Portway V see Rosenbaum HC
 Posada D see Clement M
 Posada D, Crandall KA & Templeton AR. GeoDis: a program for the cladistic nested analysis of the geographical distribution of genetic haplotypes, 487
 Possnert G see Hofreiter M
 Poteaux C see Giraud T
 Potter IC see Yap ES
 Powell W see Soranzo N
 Presa P see Estoup A
 Primmer CR see Koskinen MT
 Prins HHT see van Hooft WF
 Procaccini G, Pischetola M & Di Lauro R. Isolation and characterization of microsatellite loci in the ascidian *Ciona intestinalis* (L.), 1924
 Provan J. Novel chloroplast microsatellites reveal cytoplasmic variation in *Arabidopsis thaliana*, 2183
 Provan J see Cardoso SRS
 Provan J see Soranzo N
 Purugganan MD. The molecular population genetics of regulatory genes, 1451
 Queller DC see Zhu Y
 Queney G, Ferrand N, Marchandeu S, Azevedo M, Mougél E, Branco M & Monnerot M. Absence of genetic bottleneck in a wild rabbit (*Oryctolagus cuniculus*) population exposed to a severe viral epizootic, 1253
 Racey PA see Piertney SB
 Rahman MH see Rajora OP
 Rajora OP, Rahman MH, Buchert GP & Dancik BP. Microsatellite DNA analysis of genetic effects of harvesting in old-growth eastern white pine (*Pinus strobus*) in Ontario, Canada, 339
 Ramakrishnan U see Eggert LS
 Ransome RD see Rossiter SJ
 Ranta E see Koskinen MT
 Raspé O, Saumitou-Laprade P, Cuguen J & Jacquemart A-L. Chloroplast DNA haplotype variation and population differentiation in *Sorbus aucuparia* L. (Rosaceae: Maloideae), 1113
 Rassmann K see Englbrecht CC
 Ratnieks FLW see Foster KR
 Raybould AF see Foster KR
 Raybould AF see Wilkinson MJ
 Razatavonjizay R see Charbonnel N
 Rege JEO see Hanotte O
 Reinartz GE, Karron JD, Phillips RB & Weber JL. Patterns of microsatellite polymorphism in the range-restricted bonobo (*Pan paniscus*): considerations for interspecific comparison with chimpanzees (*P. troglodytes*), 315
 Reinsch A see Fickel J
 Renard E, Bachmann V, Cariou ML & Moreteau J-C. Morphological and molecular differentiation of invasive freshwater species of the genus *Corbicula* (*Bivalvia*, *Corbiculidae*) suggest the presence of three taxa in French rivers, 2009
 Renaud F see Trouvé S
 Repka J see Neff BD
 Repka J see Neff BD
 Reusch TBH. Five microsatellite loci in eelgrass *Zostera marina* and a test of cross-species amplification in *Z. noltii* and *Z. japonica*, 371
 Reusch TBH see Binz T

- Reusch, TBH Stam WT & Olsen JL. A microsatellite-based estimation of clonal diversity and population subdivision in *Zostera marina*, a marine flowering plant, 127
- Reyer H-U see Garner TWJ
- Richard M & Thorpe RS. Highly polymorphic microsatellites in the lacertid *Gallotia galloti* from the western Canary Islands, 1919
- Richardson DS, Jury FL, Dawson DA, Salgueiro P, Komdeur J & Burke T. Fifty Seychelles warbler (*Acrocephalus sechellensis*) microsatellite loci polymorphic in Sylviidae species and their cross-species amplification in other passerine birds, 2226
- Richardson TE see Drummond RSM
- Richman A. Evolution of balanced genetic polymorphism: Invited Review, 1953
- Rico C see Lundy CJ
- Ritland CE see O'Connell LM
- Ritland K. Marker-inferred relatedness as a tool for detecting heritability in nature: Invited Review, 1195
- Rivault C see Jobet E
- Roalson EH see Friar EA
- Robertson BC see Carter KL
- Robertson RJ see Painter JN
- Robichaux RH see Friar EA
- Robins J see Sarre SD
- Roddam A see Anderson TJ
- Rodhouse PGK see Dillane E
- Rodrigues dos Santos M see Sefc KM
- Rodriguez F see Pestano J
- Rodriguez H, Geistlinger J, Berlyn G, Kahl G & Weising K. Characterization of novel microsatellite loci isolated from the tropical dioecious tree *Simarouba amara*, 498
- Rodriguez-Valera F see Garcia-Martinez J
- Røed KH see Nesje M
- Røed KH see Nesje M
- Rogers AD see Morgan TS
- Rogers AD see Stockley BM
- Rogers DS see Harris D
- Roman J see Farrell LE
- Rooney AP see Schroeder JW
- Rosenbaum HC, Brownwell Jr RL, Brown MW, Schaeff C, Portway V, White BN, Malik S, Pastene LA, Patenaude NJ, Baker CS, Goto M, Best PB, Clapham PJ, Hamilton P, Moore M, Payne R, Rowntree V, Tynan CT, Bannister JL & DeSalle R. World-wide genetic differentiation of *Eubalaena*: questioning the number of right whale species, 1793
- Rosing-Asvid A see Fullard KJ
- Rossi R see Congiu L
- Rossiter SJ, Jones G, Ransome RD & Barratt EM. Genetic variation and population structure in the endangered greater horseshoe bat *Rhinolophus ferrumequinum*, 1131
- Rothe GM see Sander T
- Röthlisberger S see Garner TWJ
- Rousset F see Leblois R
- Rovelli P see Combes MC
- Rowe G see Zeisset I
- Rowntree V see Rosenbaum HC
- Roy MS see Perrin C
- Roy NK, Maceda L & Wirgin I. Isolation of microsatellites in striped bass *Morone saxatilis* (Teleostei) and their preliminary use in population identification, 827
- Ruedi M see Castella V
- Ruedi M see Castella V
- Ruzzante DE see Hansen MM
- Saeglitz C, Pohl M & Bartsch D. Monitoring gene flow from transgenic sugar beet using cytoplasmic male-sterile bait plants, 2035
- Saenger P see Maguire T
- Sætre G-P see Haavie J
- Saitoh T see Kitahara E
- Sakisaka Y, Yahara T, Miura I & Kasuya E. Maternal control of sex ratio in *Rana rugosa*: evidence from DNA sexing, 1711
- Salgueiro P see Richardson DS
- Salzmann C see Soliva M
- Sandegren F see Waits L
- Sander T, König S, Rothe GM, Janßen A & Weisgerber H. Genetic variation of European beech (*Fagus sylvatica* L.) along an altitudinal transect at mount Vogelsberg in Hesse, Germany, 1349
- Sanetra M & Crozier RH. Characterization of microsatellite loci in the primitive ant *Nothomyrmecia macrops* Clark, 2169
- Santos R see Stockley BM
- Santos RS see Carvalho MC
- Sari-Gorla M see Scotti I
- Sarno RJ, David VA, Franklin WL, O'Brien SJ & Johnson WE. Development of microsatellite markers in the guanaco, *Lama guanicoe*: utility for South American camelids, 1922
- Sarre SD, Aitken N, Clout MN, Ji W, Robins J & Lambert DM. Molecular ecology and biological control: the mating system of a marsupial pest, 723
- Saumitou-Laprade P see Desplanque B
- Saumitou-Laprade P see Ouborg NJ
- Saumitou-Laprade P see Raspé O
- Saumitou-Laprade P, Vassiliadis C, Epplen JT & Hardt C. Isolation of microsatellite loci for paternity testing in *Phillyrea angustifolia* L. (Oleaceae), 112
- Scarponi C see Scotti I
- Schaeff C see Rosenbaum HC
- Schaffer HB, Fellers GM, Magee A & Voss SR. The genetics of amphibian declines: population substructure and molecular differentiation in the Yosemite toad, *Bufo canorus* (Anura, Bufonidae) based on single-strand conformation polymorphism (SSCP) and mitochondrial DNA sequence data, 245
- von Schantz T see Hansson B
- von Schantz T see Langefors Å
- Schärer L see Binz T
- Schliewen U see Englbrecht CC
- Schlötterer C see Mayer F
- Schlötterer C see Weiss S
- Schmid B see Gautschi B
- Scholl A see Largiadèr CR
- Scholl MC see Pardini AT
- Schroeder JW, Honeycutt RL, Rooney AP, Han G, Begall S & Gallardo MH. Microsatellites from the South American Coruro, *Spalacopus cyanus*, 1447
- Schulte-Hostedde AI, Gibbs HL & Millar, JS. Microsatellite DNA loci suitable for parentage analysis in the yellow-pine chipmunk (*Tamias amoenus*), 2180
- Schulze AD see Miller KM
- Scotti I, Vendramin GG, Matteotti LS, Scarponi C, Sari-Gorla M & Binelli G. Postglacial recolonization routes for *Picea abies* K. in Italy as suggested by the analysis of sequence-characterized amplified region (SCAR) markers, 699

- Scribner KT see Libants S
- Seeb JE see Olsen JB
- Sefc KM, Lopes MS, Mendonça D, Rodrigues dos Santos M, Laimer da Câmara Machado M & da Câmara Machado A. Identification of microsatellite loci in olive (*Olea europaea*) and their characterization in Italian and Iberian olive trees, 1171
- Segarra-Moragues JG see Mateu-Andrés I
- Segelbacher G see Mohra C
- Segelbacher G, Paxton RJ, Steinbrück C, Trontelj P & Storch I. Characterization of microsatellites in capercaillie *Tetrao urogallus* (AVES), 1934
- Sekino M & Hara M. Isolation and characterization of microsatellite DNA loci in Japanese flounder *Paralichthys olivaceus* (Pleuronectiformes, Pleuronectoidei, Paralichthyidae), 2200
- Sekino M, Takagi N, Hara M & Takahashi H. Microsatellites in rockfish *Sebastes thompsoni* (Scorpaenidae), 634
- Selvamani MJP, Degnan SM, Paetkau D & Degnan BM. Highly polymorphic microsatellite loci in the Heron Reef population of the tropical abalone *Haliotis asinina*, 1184
- Serrão Santos R see Guillemard T
- Seuáñez HN see Almeida FC
- Shaffer HB see Voss SR
- Sharbel TE, Haubold B & Mitchell-Olds T. Genetic isolation by distance in *Arabidopsis thaliana*: biogeography and postglacial colonization of Europe, 2109
- Shaw AJ. Molecular phylogeography and cryptic speciation in the mosses, *Mielichhoferia elongata* and *M. mielichhoferiana* (Bryaceae), 595
- Shaw PW & Pérez-Losada M. Polymorphic microsatellites in the common cuttlefish *Sepia officinalis* (Cephalopoda), 237
- Shaw PW see Emery AM
- Shinone M see Miwa M
- Shiraishi S see Isoda K
- Simon J-C see Haack L
- Sinkins SP, Hackett BJ, Costantini C, Vulule J, Ling Y-Y, Collins FH & Besansky NJ. Isolation of polymorphic microsatellite loci from the malaria vector *Anopheles funestus*, 490
- Sire C see Durand P
- Slade R see Wynen LP
- Slate J, Marshall T & Pemberton J. A retrospective assessment of the accuracy of the paternity inference program CERVUS, 801
- Sloane MA, Sunnucks P, Alpers D, Beheregaray LB & Taylor AC. Highly reliable genetic identification of individual northern hairy-nosed wombats from single remotely collected hairs: a feasible censusing method, 1233
- Small MP & Gosling EM. Species relationships and population structure of *Littorina saxatilis* Olivi and *L. tenebrosa* Montagu in Ireland using single-strand conformation polymorphisms (SSCPs) of cytochrome *b* fragments, 39
- Smith TB, Holder K, Girman D, O'Keefe K, Larison B & Chan Y. Comparative avian phylogeography of Cameroon and Equatorial Guinea mountains: implications for conservation, 1505
- Smolenski AJ see Burridge CP
- Smulders MJM see Arens P
- Solignac M see Franck P
- Solignac M see Giraud T
- Solignac M see Guiller A
- Soliva M see Widmer A
- Soliva M, Gautschi B, Salzmann C, Tenzer I & Widmer A. Isolation and characterization of microsatellite in the orchid *Ophrys araneola* (Orchidaceae) and a test of cross-species amplification, 2178
- Soranzo N, Alia R, Provan J & Powell W. Patterns of variation at a mitochondrial sequence-tagged-site locus provides new insights into the postglacial history of European *Pinus sylvestris* populations, 1205
- Sourrouille P see Ibrahim KM
- Souty-Grosset C see Gouin N
- Spatafora JW see Kretzer AM
- Spaulding WG see Hofreiter M
- Spencer CC, Neigel JE & Leberg PL. Experimental evaluation of the usefulness of microsatellite DNA for detecting demographic bottlenecks, 1517
- Spencer PBS & Bryant KA. Characterization of highly polymorphic microsatellite markers in the marsupial honey possum (*Tarsipes rostratus*), 492
- Spencer PBS see Lebas NR
- Spencer PBS see Yap ES
- Spitze K see Pfreder ME
- Spolsky C see Szymura JM
- Spong C, Johansson M & Björklund M. High genetic variation in leopards indicates large and long-term stable effective population size, 1773
- Spörri M see Garner TWJ
- Stam WT see Reusch TBH
- Stam WT see van der Strate HJ
- Stanhope MJ see Blomster J
- Steen OF see Nesje M
- Stefansson M see Coughlan J
- Steinbrück G see Segelbacher G
- Steinfartz S, Veith M & Tautz D. Mitochondrial sequence analysis of *Salamandra* taxa suggests old splits of major lineages and postglacial recolonizations of Central Europe from distinct source populations of *Salamandra salamandra*, 397
- Stenlid J see Johannesson HS
- Stenlid J see Köljal U
- Stenseth NC see Ehrich D
- Stenson A, Malhotra A & Thorpe RS. Highly polymorphic microsatellite loci from the Dominican anole (*Anolis oculatus*) and their amplification in other *bimaculatus* series anoles, 1680
- Sternberg JM see Binz T
- Stewart IRK see Dawson DA
- Stöckler K see McLenahan PA
- Stockley BM, Rogers AD, Iyengar A, Menezes G, Santos R & Long A. Ten microsatellite loci isolated and developed for the blackspot seabream, *Pagellus bogaraveo* (Brünnich 1768), 999
- Stone DM see Iyengar A
- Storch I see Segelbacher G
- Storz JE. Variation at tri- and tetranucleotide repeat microsatellite loci in the fruit bat genus *Cynopterus* (Chiroptera: Pteropodidae), 2198
- Strassmann JE see Zhu Y
- van der Strate HJ, Olsen JL, van de Zande L, Edwards KJ & Stam WT. Isolation and characterization of microsatellite loci in the benthic seaweed, *Cladophoropsis membranacea* (Cladophorales, Chlorophyta), 1442
- ven der Strate HJ see van der Velde M
- Streiff R see Carvalho MC
- Streiff R see Gerber S
- Streiff R see Guillemard T
- Strobeck C see Carmichael LE
- Strobeck C see Davis C
- Strobeck C see Polziehn RO

- Strobeck C see Zittlau KA
 Strong DR see Anttila CK
 Su X-Z see Anderson TJC
 Suárez J see Machordom A
 Sullivan J see Harris D
 Sunnucks P see Beheregaray LB
 Sunnucks P see Sloane MA
 Sunnucks P, Wilson ACC, Beheregaray LB, Zenger K, French J & Taylor AC. SSCP is not so difficult: the application and utility of single-stranded conformation polymorphism in evolutionary biology and molecular ecology, 1699
 Sunquist ME see Farrell LE
 Suyama Y, Obayashi K & Hayashi I. Clonal structure in a dwarf bamboo (*Sasa senanensis*) population inferred from amplified fragment length polymorphism (AFLP) fingerprints, 901
 Swanson B see Davis C
 Swenson JE see Waits L
 Symondson WOC, Glen DM, Erickson ML, Liddell JE & Langdon CJ. Do earthworms help to sustain the slug predator *Pterostichus melanarius* (Coleoptera: Carabidae) within crops? Investigations using monoclonal antibodies, 1279
 Syvanen M see Ernest HB
 Szymura JM, Uzzell T & Spolsky C. Mitochondrial DNA variation in the hybridizing fire-bellied toads, *Bombina bombina* and *B. variegata*, 891
- Taberlet P see Gaudel M
 Taberlet P see Pomon A
 Taberlet P see Valiere N
 Taberlet P see Waits L
 Taggart JB see Cairney M
 Takagi N see Sekino M
 Takahashi H see Sekino M
 Tanaka R see Miwa M
 Tatchell CM see Miller NJ
 Turchini D see Fineschi S
 Tautz D see Englbrecht CC
 Tautz D see Mayer F
 Tautz D see Steinfartz S
 Tawah CL see Hanotte O
 Taylor AC see Le Page SL
 Taylor AC see Sloane MA
 Taylor AC see Sunnucks P
 Taylor AC, Cowan PE, Fricke BL & Cooper DW. Genetic analysis of the mating system of the common brushtail possum (*Trichosurus vulpecula*) in New Zealand farmland, 869
 Taylor AFS see Köljalg U
 Taylor EB see Curtis JM
 Taylor EB see McCusker MR
 Taylor GA see Millar CD
 Teidemann R, Hardy O, Vekemans X & Milinkovitch MC. Higher impact of female than male migration on population structure in large mammals, 1159
 Templeton AR see Posada D
 Tenzer I see Gautschi B
 Tenzer I see Soliva M
 Theron A see Durand P
 Thomas P see Pomon A
 Thompson GJ, Lenz M & Crozier RH. Microsatellites in subterranean, mould-building termite *Coptotermes lacteus* (Isoptera: Rhinotermitidae), 1932
 Thorpe RS see Giannasi N
 Thorpe RS see Gübitz T
 Thorpe RS see Richard M
 Thorpe RS see Stenson A
 Tie, AD Boulding, EG & Naish K-A. Polymorphic microsatellite DNA markers for the marine gastropod *Littorina subrotundata*, 108
 Tikal D see Leblois R
 Tikal D, Paetkau D, Cortinas MN, Leblois R, Moritz C & Estoup A. Polymerase chain reaction primers for polymorphic microsatellite loci in the invasive toad species *Bufo marinus*, 1927
 Till-Bottraud I see Gaudel M
 Timms P see Fowler EV
 Tirard C see McCoy KD
 Tirard C see Trouvé S
 Titov S see Koskinen MT
 Todd R. Microsatellite loci in the Eurasian red squirrel, *Sciurus vulgaris* L., 2165
 Tomaru N see Ueno S
 Toth GP see Dimsoski P
 Tran-Dinh N & Carter D. Characterization of microsatellite loci in the aflatoxigenic fungi *Aspergillus flavus* and *Aspergillus parasiticus*, 2170
 Traxler B, Brem G, Müller M & Achmann R. Polymorphic DNA microsatellites in the domestic pigeon, *Columba livia* var. *domestica*, 366
 Tregenza T & Wedell N. Genetic compatibility, mate choice and patterns of parentage: Invited Review, 1013
 Treweek SA. Mitochondrial DNA sequences support allozyme evidence for cryptic radiation of New Zealand *Peripatoides* (Onychophora), 269
 Treweek SA, Wallis GP & Morgan-Richards M. Phylogeographical pattern correlates with Pliocene mountain building in the alpine scree weta (Orthoptera, Anostostomatidae), 657
 Trontelj P see Segelbacher G
 Trouvé S, Degen L, Meunier C, Tirard C, Hurtrez-Boussès S, Durand P, Guégan JE, Goudet J & Renaud F. Microsatellites in the hermaphroditic snail, *Lymanaea truncatula*, intermediate host of the liver fluke, *Fasciola hepatica*, 1662
 Tsumura Y see Iwata H
 Tsumura Y see Konuma A
 Turillazzi S see Zhu Y
 Twiss SD see Worthington Wilmer J
 Tynan CT see Rosenbaum HC
- Ueno S, Tomaru N, Yoshimaru H, Manabe T & Yamamoto S. Genetic structure of *Camellia japonica* L. in an old-growth evergreen forest, Tsushima, Japan, 647
 Ueno S, Yoshimaru H, Kawahara T & Yamamoto S. Isolation of microsatellite markers in *Castanopsis cuspidata* var. *sieboldii* Nakai from an enriched library, 1188
 Upton DE see Murphy RW
 Usher SL see Green JM
 Uzzell T see Szymura JM
- Vadopalas B & Bentzen P. Isolation and characterization of di- and tetranucleotide microsatellite loci in geoduck clams, *Panopea abrupta*, 1435
 Valenzuela N. Multiple paternity in side-neck turtles *Podocnemis expansa*: evidence from microsatellite DNA data, 99
 Valiere N & Taberlet P. Urine collected in the field as a source of DNA for species and individual identification, 2150

- Van Den Bussche RA see Malloy Jr TP
 Van der Putten WH see Clapp JP
 Van der Stoel CD see Clapp JP
 Van Dijk H see Desplanque B
 Vargas P see Hess J
 Vargo EL. Polymorphism at trinucleotide microsatellite loci in the subterranean termite *Reticulitermes flavipes*, 817
 Vargo EL & Henderson G. Identification of polymorphic microsatellite loci in the Formosan subterranean termite *Coptotermes formosanus* Shiraki, 1935
 Vassiliadis C see Saumitou-Laprade P
 Vautrin D see Guiller A
 Veith M see Steinfartz S
 Vekemans X see Teidemann R
 van der Velde M, van der Strate HJ, van de Zande L & Bijlsma R. Isolation and characterization of microsatellites in the moss species *Polytrichum formosum*, 1678
 Vendramin GG see Buccì G
 Vendramin GG see Fineschi S
 Vendramin GG see Keys RN
 Vendramin GG see Scotti I
 Verjee Y see Hanotte O
 Veselov A see Koskinen MT
 Veuille M see Cobb M
 Viard F see Desplanque B
 Vickers K see Clausen G
 Vidano G see Bergero R
 Vilgalys R see Xu J
 Villani F see Fineschi S
 Vitalis R see Fréville H
 van de Vliet M see Bijlsma R
 Vosman B see Arens P
 Voss SR & Shaffer HB. Evolutionary genetics of metamorphic failure using wild-caught vs. laboratory axolotls (*Ambystoma mexicanum*), 1401
 Voss SR see Schaffer HB
 van Vugt HWJA see van Oppen MJH
 Vulule J see Sinkins SP
 Waits L, Taberlet P, Swenson JE, Sandegren F & Franzén R. Nuclear DNA microsatellite analysis of genetic diversity and gene flow in the Scandinavian brown bear (*Ursus arctos*), 421
 Walker D see Avise JC
 Walker RS, Farmerie WG & Branch LC. Characterization of microsatellite loci from the mountain vizcacha *Lagidium viscacia* and their use for the plains vizcacha *Lagostomus maximus*, 1672
 Wallis GP see Trewick SA
 Wallis GP see Waters JM
 Wallis GP see Waters JM
 Walton C, Chang MS, Handley JM, Harbach RE, Collins FH, Baimai V & Butlin RK. The isolation and characterization of microsatellites from *Anopheles dirus* mosquitoes, 1665
 Wang JP, Hsu KC & Chiang TY. Mitochondrial DNA phylogeography of *Acrossocheilus paradoxus* (Cyprinidae) in Taiwan, 1483
 Wang Y, Hughes CR, Gines-Candelaria EA & Gaines MS. Polymorphic microsatellite loci of *Oryzomys palustris*, the marsh rice rat, in South Florida detected by silver staining, 1931
 Ward PI see Garner TWJ
 Warheit KI see Ibaraguchi G
 Warner RR see Wooninck L
 Waser PM see Davis C
 Wasser SK see Comstock KE
 Watanabe W see Isoda K
 Waters JM & Wallis GP. Across the Southern Alps by river capture? Freshwater fish phylogeography in South Island, New Zealand, 1577
 Waters JM, Dijkstra LH & Wallis GP. Biogeography of a southern hemisphere freshwater fish: how important is marine dispersal?, 1815
 Wayne RK see Kays RW
 Weber JL see Reinartz GE
 Wedekind C see Binz T
 Wedell N see Tregenza T
 Weisgerber H see Sander T
 Weising K see Geistlinger J
 Weising K see Rodriguez H
 Weiss S, Antunes A, Schlötterer C & Alexandrino P. Mitochondrial haplotype diversity among Portuguese brown trout *Salmo trutta* L. populations: relevance to the post-Pleistocene recolonization of northern Europe, 691
 Wennerberg L see Hansson B
 van't Westende W see Arens P
 White BN see Rosenbaum HC
 White L see Muloko-ntoutoume N
 White RWG see Evans B
 White RWG see Wynen LP
 Whittingham LA & Dunn PO. Offspring sex ratios in tree swallows: females in better condition produce more sons, 1123
 Widmer A see Gautschi B
 Widmer A see Soliva M
 Widmer A see Zuber D
 Widmer A, Cozzolino S, Pellegrino G, Soliva M & Dafni A. Molecular analysis of orchid pollinaria and pollinaria-remains found on insects, 1911
 Wiczorek AM see Zamudio KR
 Wilkins SD see DeWoody JA
 Wilkinson MJ, Davenport IJ, Charters YM, Jones AE, Allainguillaume J, Butler HT, Mason DC & Raybould AE. A direct regional scale estimate of transgene movement from genetically modified oilseed rape to its wild progenitors, 983
 Willis BL see van Oppen MJH
 Wilson ACC see Sunnucks P
 Wilson J see Lowe AJ
 Wilson SL see Olsen JB
 Winfield MO see van der Merwe M
 Winkworth RC see McLenachan PA
 Winter P see Geistlinger J
 Wirgin I see Roy NK
 Wirth T. Isolation and characterization of microsatellite loci in the land snail *Helicella itala*, and cross-species amplification within the family Helicidae, 501
 Wirth T see Leclerc D
 Withler RE see Miller KM
 Wood PB see Castleberry SB
 Woodruff DS see Eggert LS
 Wooninck L, Warner RR & Fleischer RC. Relative fitness components measured with competitive PCR, 1409
 Worthington Wilmer J, Overall AJ, Pomeroy PP, Twiss SD & Amos W. Patterns of paternal relatedness in British grey seal colonies, 283

- Wright SD see Drummond RSM
- Wynen LP, Goldsworthy SD, Guinet C, Bester MN, Boyd IL, Gjertz I, Hofmeyr GJG, White RWG & Slade R. Postsealing genetic variation and population structure of two species of fur seal (*Arctocephalus gazella* and *A. tropicalis*), 299
- Xu J, Vilgalys R & Mitchell TG. Multiple gene genealogies reveal recent dispersion and hybridization in the human pathogenic fungus *Cryptococcus neoformans*, 1471
- Yahara T see Sakisaka Y
- Yamamoto S see Ueno S
- Yamamoto S see Ueno S
- Yap ES, Spencer PBS, Chaplin JA & Potter IC. The estuarine teleost, *Acanthopagrus butcheri* (Sparidae), shows low levels of polymorphism at five microsatellite loci, 2225
- Yoshimaru H see Ueno S
- Yoshimaru H see Ueno S
- Yu H-T & Liao Y-Y. Microsatellite markers for behavioural studies in a semi-fossorial shrew (Soricidae: *Anourosorex squamipes*), 2159
- Yue GH, Chen F & Orban L. Rapid isolation and characterization of microsatellites from the genome of Asian arowana (*Scleropages formosus*, Osteoglossidae, Pisces), 1007
- Yue GH, Li Y, Hill JI & Orban L. Microsatellites from the compact genome of the green spotted pufferfish (*Tetraodon nigroviridis*), 2209
- Zamudio KR & Wiczorek AM. Microsatellites for studies of ecology, behaviour, and evolution in Yarrow's spiny lizard (*Sceloporus jarrovi*), 1667
- Zamudio KR see Parkinson CL
- van de Zande L see Bijlsma R
- van de Zande L see van der Strate HJ
- van de Zande L see van der Velde M
- van de Zande L, van Apeldoorn RC, Blijdenstein AF, de Jong D, van Delden W & Bijlsma R. Microsatellite analysis of population structure and genetic differentiation within and between populations of the root vole, *Microtus oeconomus* in the Netherlands, 1651
- Zane L see Ostellari L
- Zauner S see McLenachan PA
- Zeisset I, Rowe G & Beebe TJ. Polymerase chain reaction primers for microsatellite loci in the north European water frogs *Rana ridibunda* and *R. lessonae*, 1173
- Zenger K see Sunnucks P
- Zhao E-M see Murphy RW
- Zhu Y, Landi M, Queller DC, Turillazzi S & Strassmann JE. Polymorphic microsatellite loci for primitively eusocial Stenogastrine wasps, 2203
- Zittlau KA, Davis CS & Strobeck C. Characterization of microsatellite loci in northern flying squirrels (*Glaucomys sabrinus*), 826
- Zuber D & Widmer A. Genetic evidence for host specificity in the hemi-parasitic *Viscum album* L. (Viscaceae), 1069



Keyword index

- 16S rDNA, 935
16S-23S rDNA spacer, 935

A + T-rich region, 1803
abalone, 1183, 1184
Abies, 1069, 1965
Abudefduf, 993
Acanthopagrus butcheri, 2225(1157)
Acari, 1436
Acrocephalus, 2226(1160)
Acrocephalus arundinaceus, 1529
Acromyrmex echinator, 114
Acropora, 1363
Acrossocheilus paradoxus, 1471
adaptation, 843
adaptive introgression, 541
admixture, 1873
Aegolius funereus, 187
Aegyptius monachus, 2193(1141)
AFLP, 1, 815, 901, 1037, 1753, 2109, 2152(1163)
AFLP markers, 443, 1099
AFLP polymorphism, 379
Africa, 831
African buffalo, 2017
African elephant, 1004
African rain forest, 1591
Afriomontane, 1505
Agamidae, 365
Agkistrodon, 411
Alaska, 165
albatross, 1415
Aleutian, 1265
alga, 1442
allele frequencies, 1349
allele frequency, 114
allele genealogies, 1699
allelic dropout, 2150(1134)
allozyme, 1253
allozymes, 25, 61, 457, 691, 771, 959, 1463, 1539, 1717, 1737
alpine, 657
alternative prey, 1279
Amazon, 259
Ambystoma, 1401
AMOVA, 481, 505
Amphibia, 771
amplified fragment length polymorphism(s) (AFLP), 1149, 1899
amplified fragment length polymorphism markers, 1625
ancestral reconstruction, 193
ancient DNA, 1975
Andrenidae, 2189(1143)
Anisantha sterilis, 2195(1138)

Anolis, 193
Anolis oculatus, 1680
Anopheles balabacensis, 1665
Anopheles funestus, 490
Anopheles leucosphyrus, 1665
Anourosorex squamipes, 2159(1113)
Antirrhinum, 2081
ants, 1835
Anura, 891
anuran, 1173
aphid, 1445, 1887, 2055
Aphididae, 1951
Apis mellifera, 907, 1436
Apodemus flavicollis, 1664
Apodemus sylvaticus, 1664
Apoidea, 2189(1143)
apomixis, 1
aquaculture, 494, 1183
aquatic macrophytes, 497
Arabidopsis thaliana, 2109, 2183(1137)
Arctocephalus, 299
area fragmentation, 2081
arthropod predation, 1887
artiodactyl, 1922
ascidians, 1924
Ascochyta blight, 1939
Asian elephant, 1004
asiatic clam, 2009
Aspergillus flavus, 2170(1127)
Aspergillus parasiticus, 2170(1127)
assignment test, 583
Atlantic cod, 238
Atlantic halibut, 822
Atlantic Rainforest, 1753
Atlantic salmon, 215
Aucoumea klaineana, 359
Austroptamobius pallipes, 25, 636
autosomal/pseudoautosomal, 1915
Aves, 632
avian *CHD1* genes, 187
avian frugivores, 1293
Avicennia marina, 1853

B. oleracea, 983
badger, 2216(1161)
balanced genetic polymorphism, 1953
baleen whale, 2181(1132)
bamboo, 901
barriers, 1737
bat, 1000, 2208(1151)
bats, 1131
Bayesian, 1241
beech, 1349
behavioural ecology, 1443
behavioural genetics, 2159(1113)

Belonidae, 259
Beringia, 329, 1265
Beta vulgaris, 2035
biallelic markers, 375
biased rhizosphere, 881
bigeye tuna, 221
biocontrol, 881
biodiversity, 1609
biogeography, 269, 397, 411, 1577, 1815, 2089, 2109
biological invasions, 443
Biomphalaria glabrata, 1009
Biomphalaria Pfeifferi, 1006
biosafety, 2035
biotin, 2221(1152)
bird, 1421
birds, 1463
blue tit, 1941
bluegill, 515, 529
bobcat, 433
body size, 193
Bombina, 891
bonobo, 315
bonytongue, 1007
Bos indicus, 387
Bos taurus, 387
bottleneck, 421, 753, 1075, 1253, 1517, 1529
Brachionus plicatilis, 203
Brassica napus, 983
Brassicaceae, 2183(1137)
breeding, 923
breeding behaviour, 283
breeding structure, 869
breeding systems, 571
British Columbia, 2089
Bromus, 2195(1138)
brook charr, 971
brown trout, 1873
bryophytes, 595, 1679
budding, 1835
Bufo, 1927
Bufo canorus, 245
Bufonidae, 245
Burramys parvus, 609
bush mango, 831
Byturus tomentosus, 77

CA repeats, 869
Caesalpiniaceae, 1427
Camellia japonica L., 647
Camptostoma anomalum, 2187(1140)
Canary Islands, 1213
Canids, 2150(1134)
capercaillie, 1934

- Carcharodon carcharias*, 1176
 Caribbean, 1363
 Carnivora, 743
 carnivore feeding ecology, 1583
Castanea sativa, 1495
Castanopsis cuspidata, 1188
 cataceans, 1793
 Caudata, 116
 caviomorph rodents, 1447
Cebus, 107
Centaurea, 1671
 central stoneroller, 2187(1140)
 Cephalopoda, 110, 237
Cervus elaphus, 1561
 cestode, 1926
 cetacean, 949
 character, 1
 character displacement, 193
 CHD gene, 1123
Cherax quadricarinatus, 494
 Chesapeake Bay, 827
 chickpea, 1939
 chimpanzee, 315
 China, 959
Chinchilla, 1672
 Chinchillidae, 1672
 Chinese giant salamander, 1539
Chioglossa lusitanica, 771
 Chiroptera, 683, 793, 1000, 1307, 1761, 2198(1147), 2208(1151)
 Chlorophyta, 177
 chloroplast, 2183(1137)
 chloroplast diversity, 1427
 chloroplast DNA, 61, 359, 765, 1089, 1965
 chloroplast microsatellite, 923
 chloroplast microsatellites, 1149
 Chrysopidae, 1887
Ciona intestinalis, 1924
 cladistic nested analysis, 487
 cladogram estimation, 1657
Cladophoropsis membranacea, 1442
 climata, 165
 climate change, 1975
 clinal variation, 891
 clonal, 1247
 clonal mixing, 1445
 clonal selection, 203
 clonal structure, 901
 clonality, 127
 clone identification, 1247
 clone size, 901
 clones, 1
 closure gradient, 1099
 coalescence, 1471
 coalescent analysis, 667
 coalescent theory, 1953
 coastal species, 1823
 Coccinellidae, 1887
Coffea, 1178
 coffee tree, 1178
 cohesion species concept, 557
 COI, 657
 cold tolerance, 541
 Coleoptera, 77
Columba domestica, 366
 common murre, 638
 community composition, 1549
 comparison, 215
 compatibility, 1
 competition, 193
 competitive PCR, 1409
 condition, 1123
 conflict, 735
 conifer, 1920
 conservation, 379, 411, 959, 1233, 1421, 1539, 1773, 1793, 2041, 2191(1142)
 conservation biology, 1753
 conservation genetics, 25, 245, 492, 571, 609, 636, 809, 831, 1029, 1149, 1625, 1997, 2027, 2185(1139), 2193(1141)
 conservation units, 1325
 conserved genes, 375
 contact rates, 723
 containment, 2035
 control region, 155, 1471, 1577, 1815, 1997, 2041
 cooperation, 2203(1156)
 cooperative breeding, 1339
 coprolites, 1975
Coptotermes formosanus, 1935
 coral, 1363
 cougar, 433
 cpDNA, 141, 1069, 1113, 1495
 Cracidae, 632
 cranes, 1677
Crassostrea virginica, 2217(1162)
 crayfish, 25, 2231(1164)
 Cricetidae, 2172(1128)
 crop ecology, 1279
 cross-species, 824
 cross-species amplification, 53, 233, 371, 373, 494, 502, 995, 1438, 1677, 2178(1131), 2193(1141), 2197(1151), 2208(1159)
 Crustacea, 636
 cryptic speciation, 595
 cryptic species, 2009
 Cryptococcosis, 1471
Cryptoprocta ferox, 489
 cuckoldry, 2119
Culex quinquefasciatus, 1803
 cultivar identification, 229
 Cupressaceae, 1920
 curassow, 632
 cuttlefish, 237
 cyclic parthenogenesis, 203
 cyclical parthenogen, 1075
Cynopterus, 2198(1147)
 Cyprinidae, 1471, 2187(1140)
 cytochrome *b*, 39, 165, 609, 1029, 1213, 1307, 1375, 1761, 2129
 cytochrome oxidase I, 269
 cytochrome oxidase subunit I, 349
 cytoplasm, 2183(1137)
 cytoplasmic incompatibility, 77
 cytoplasmic male-sterile bait plant, 2035
Daldinia loculata, 375
 Dall's porpoise, 1049
Daphnia, 1717
Daphnia pulex, 1075
 Decapoda, 636
 declining amphibian, 245
 deer mouse, 1669
Dendroica petechia, 667, 2137
 Dermaptera, 1685
 desert locust, 783
 detectability half-life, 1887
 DGGE, 215
 diapause, 203
Dicamptodon tenebrosus, 116
 dice snake, 2191(1142)
Dicentrarchus labrax, 457
Dicorynia guianensis, 1089
Dicrostonyx, 329
 Didelphidae, 1440
 diet, 1583, 1975
 differences, 114
 DIG, 1938
 dinucleotide repeats, 631
 dinucleotides, 1176
 diploid males, 735
Dipodomys, 642
 Dipterothripidae, 1684
 direct repeats, 1899
 direct sequencing, 2152(1163)
 dispersal, 743, 1049, 1737, 1783, 1815
 diversity, 379, 571
 D-loop, 397, 709, 1421
 DNA, 242, 634, 2200(1149)
 DNA content, 1539
 DNA extraction, 229, 2149
 DNA fingerprinting, 901, 1415, 1529, 1561
 DNA marker, 2172(1128)
 DNA markers microsatellite, 993
 DNA markers, 375, 1662
 DNA microsatellites, 366, 735, 1674
 DNA sequence analysis, 1549
 DNA sequence, 1699
 DNA sequences, 1539
 DNA sequencing, 1165
 DNA sexing, 1711
 dominant, 1241
 dragonfish, 1007
 drainage structure, 1737
Dugong dugong, 2161(1115)
 ecotypes, 39
 ectomycorrhiza, 1985
 ectomycorrhizae, 1190
 ectomycorrhizas, 1639
 ectoparasite, 2213(1153)
 effective population size, 1137
 elasmobranch, 1176

- elephants, 1159, 2223(1155)
Elephas maximus, 1004
 endangered species, 1007
 endemic fish, 1471
 endemic plants, 2081
 endemism, 1505, 1671
 enriched library, 495, 999, 1684
 enrichment, 2152(1163)
Enteromorpha, 177
 environmental changes, 329
 ephemeral ponds, 1717
 EPIC-PCR, 233
Erica arborea, 1639
 Ericaceae, 959
 ericoid fungi, 1639
Erinaceus europaeus, 1949
 Eritrea, 783
 error rate, 801
Eryngium alpinum, 1625
 estuaries, 2225(1157)
 Europe, 709
 European hake, 2067
 European hedgehog, 1949
 European rabbit, 1253
 eusocial-insection, 1932
 eusociality, 502
Eustenogaster, 2203(1156)
Eutерpe edulis, 1753
Evechinus chloroticus, 2221(1152)
 evolution, 1061
 evolution of development, 1451
 evolutionarily stable strategy (ESS),
 2119
 evolutionary genetics, 1401
 exclusion, 801
 extra-pair fertilization, 1415

 Fabaceae, 1174
 faecal DNA, 433, 1583
Fagus sylvatica, 1349
Falco peregrinus, 53
Falco rusticolus, 1438
 Felidae, 1583
 felids, 2197(1159)
 female mate choice, 283
 female/offspring comigration, 1159
 fish, 1180, 2214(1154)
 flatfish, 368
fontinalis, 971
 forensic, 229
 forest dynamics, 1188
 forest refugia, 359
Forficula auricularia, 1685
 fossorial, 2159(1113)
 fouling, 177
 founder effects, 505
 founder event, 1529
 fragmentation, 609
 frequency-dependent selection, 1099
 freshwater bryozoans, 1375
 freshwater crayfish, 494
 freshwater fish, 1737

 freshwater snail, 1006
 freshwater snails, 1009
 frog, 1938
 F-statistics, 1463
 fugu, 2205(1158)
 fur seal, 299

Gadus, 238
Galaxias, 1577, 1815
Gallotia galloti, 1919
Gallotia stehlini, 1919
Gambusia, 1517
 GATA, 820
 gene conservation, 339
 gene escape, 2035
 gene flow, 91, 108, 155, 421, 583, 983,
 1069, 1113, 1137, 1205, 1265, 1391,
 1625, 1783, 1934
 gene genealogy, 1471, 1657
 genet, 639
 genetic censusing, 2223(1155)
 genetic differentiation, 1471, 1651, 2055
 genetic diversity, 315, 339, 421, 443, 699,
 831, 1089, 1178, 1247, 1293, 1319,
 1375, 1517, 1539, 1944
 genetic drift, 1137
 genetic engineering, 881
 genetic erosion, 1651
 genetic incompatibility, 1013
 genetic integrity, 765
 genetic marker, 1915
 genetic markers, 242, 515, 529, 1009,
 1176, 1181, 1195, 1669
 genetic polymorphism, 1471
 genetic population structure, 1463
 genetic resources, 923
 genetic similarity, 1529
 genetic structure, 481, 647, 971, 1205,
 1339, 1843
 genetic subdivision, 469, 771
 genetic variability, 293, 817, 997, 1625,
 1662, 1935, 2081
 genetic variation, 359, 1131, 1183, 1349,
 1753, 1863, 2027, 2089
 genetics, 1853, 2217(1162)
 genome programme, 2205(1158)
 genomic library, 1000
 genomics, 2205(1158)
 genotype frequencies, 1349
 genotypic diversity, 203
 genotypic similarity, 1099
 genotypic variation, 1099
 geoduck clam, 1435
 geographical variation, 91, 1061, 1213
 Gibraltar, 1761
 glacial refugia, 91, 691, 771
 glaciation, 165, 329
 glaciations, 709
Glaucomys sabrinus, 826
Globicephala melas, 949
Globodera, 1223
 GM risk assessment, 983

 golden-striped salamander, 771
 Gondwana, 1815
 grapes, 505
 grayling, 1609
 great bustard, 1165
 great white shark, 1176
 green turtles, 1783
 grey seal, 283
 guanaco, 1922
 Guiana, 1089
 Gulf of Guinea, 1505
 gut-content analysis, 1279
Gymnadenia, 1863
Gypaetus barbatus, 2193(1141)
Gyps fulvus, 2193(1141)
 gyrfalcon, 1438

 habitat, 971
 habitat fragmentation, 1591, 1651, 1944,
 2017
 hair follicles, 1233
Haliotis asinina, 1184
Haliotis rubra, 1183
 heavy metal tolerance, 1319
Helicella itala, 501
 Helicidae, 501
Helix aspersa, 1191
 Helminth, 1181
 heritability, 1195
 hermaphrodite, 1926
Heterodera, 1223
Heterohyrax brucei, 1675
 heterologous, 2231(1164)
 Heteromyidae, 642
 heterospecific amplification, 1680
 heterozygosity, 1149, 1241, 1517, 1599,
 1662, 2172(1128)
 hibernaculum, 683
 highlands, 2129
 historical processes, 487
 homology, 815
 homoplasy, 1873
 host plant specificity, 2055
 host races, 1069
 host-parasite relationship, 481
 Hudson River, 827
 Hyaenidae, 1443
 hybrid zone, 891
 hybridization, 9, 177, 541, 765, 907, 1363,
 1471, 1609
 hybridogenesis, 2173(1129)
 Hymenoptera, 1911, 2189(1143)
 hyracoidea, 1675

 identification, 1223, 1911
Illex, 1002
 immunocontraceptive, 723
 inbreeding, 1445
 Indian Ocean islands, 443
 indicine, 387
 indigenous fruit tree, 831
 individual based analysis, 1905

- individual identification, 2150(1134)
 insect swarms, 783
 internal transcribed spacer, 1549
 interspecific comparison, 315
 interspecific hybridization, 1965
 intra-specific phylogeny, 1029
 introgression, 9, 1325
 introgressive hybridization, 1687
 intron-length polymorphism, 233
 invading species, 1905
 invasion biology, 765
 invasions, 541
 invasive species, 1927, 2009
Irvingia gabonensis, 831
Irvingia wombolu, 831
 island, 1061, 1421
 isolated populations, 1661
 isolation by distance, 127, 349, 1075,
 1471, 1905, 2017,
Isoodon obesulus, 469
 isozymes, 1349, 2009
 ISSR, 1823
 ISSRs, 857
 Isthmus of Panama, 1391
 Istiophoridae, 820
 Italy, 907
 ITS, 595, 1069
 ITS-1 sequences, 857
 ITS rDNA sequence, 1985
 Ixodidae, 2213(1153)

 Japanese flounder, 2200(1149)
 Japanese marsh warbler, 373
Juniperus communis, 379

 kangaroo rats, 642
 kin selection, 2203(1156)
 kinship, 2181(1132)
 Koala, 155
Kobus kob, 1997
 kriging, 923
 krill, 377

L. saxatilis, 39
L. tenebrosa, 39
 Labridae, 631, 2166(1118)
Lagidium, 1672
 lagoon habitat, 457
Lagostomus, 1672
 land snail, 501
 larval parasite, 1436
 leafcutter ants, 114
 lethrins, 1929
Lethrinus miniatus, 1929
 life cycle evolution, 1401
 life history, 1375
 likelihood, 801, 2129
 limber pine, 91
Linepithema humile, 119
 linkage, 2175(1130)
 linkage disequilibrium, 2109
 linked markers, 1873

Littorina, 108
 lizard, 1061
 local adaptation, 469
 local mate competition, 1445
 local scale differentiation, 1905
Locustella pryeri, 373
 LOD score, 801
 LOD scores, 1037
Loligo, 110
 long-PCR, 809
 long-tailed vole, 165
 Louisiana Irises, 1687
Loxodonta africana, 1004
 lutjanids, 1929
 Lycenidae, 1948
 lying-in-wait strategy, 1279
 Lymnaeidae, 1662
Lynx rufus, 433
 lynx, 2197(1159)
Lysandra bellargus, 1948

 Macaronesia, 857, 999
 macropodid, 753
 Madagascar, 489
Makaira nigricans, 820
 malaria, 1599
 malaria vector, 490
 malaria vectors, 1665
 male production, 735
 male-biased gene flow, 2137
 male-biased hatching sex ratio, 187
 mangrove, 1853
 marine angiosperm, 371
 marine archaea, 935
 marine assemblages, 935
 marine fisheries, 820, 2067
 marine speciation, 1391
 markers, 1037
 marlin, 820
Marmota marmota, 2163(1116)
 marsupial, 869, 1682
 Marsupialia, 1440
 maternal control, 1711
 maternity, 515, 529, 2119
 mating frequency, 119, 1835
 mating system, 99, 1415, 1662
 mating tactics, 2119
 Mediterranean ecosystem, 1639
Megalurus pryeri, 373
Meganyctiphanes norvegica, 377
Melaleuca cajuputi, 639
Meloidogyne, 1223
 member-vagrant, 615
Merluccius merluccius, 2067
 Mesoamerica, 2129
 mesocosm, 1517
 metamorphosis, 1401
 metapopulation, 615, 783
 Metrosideros, 1149
 México, 411
 Mhc, 215
 MHC, 1953

 microbial diversity, 935
Micropterus dolomieu, 1946
 microsatellite, 108, 127, 238, 240, 283,
 315, 365, 368, 371, 495, 583, 632, 636,
 638, 647, 801, 824, 907, 949, 971, 99,
 999, 1000, 1171, 1180, 1181, 1186,
 1188, 1191, 1233, 1253, 1339, 1433,
 1435, 1443, 1561, 1577, 1599, 1667,
 1671, 1682, 1684, 1761, 1843, 1853,
 1863, 1922, 1926, 1927, 1931, 1938,
 1941, 1949, 2017, 2119, 2159(1113),
 2163(1116), 2170(1127), 2203(1148),
 2208(1151), 2213(1153), 2217(1156),
 2219(1160), 2226(1162)
 microsatellite DNA, 110, 237, 1905, 2067,
 2161(1115), 2198(1147)
 microsatellite DNA markers, 2137
 microsatellite DNA loci, 2180(1133)
 microsatellite enrichment, 2175(1130)
 microsatellite isolation, 2172(1128)
 microsatellite loci, 116, 1190, 1664, 1675,
 1680
 microsatellite markers, 112, 639, 1445,
 1919
 microsatellite polymorphism,
 2225(1157)
 microsatellite primers, 114, 1679,
 2157(1112)
 microsatellites, 107, 119, 203, 242, 377,
 421, 433, 457, 489, 490, 494, 499, 501,
 53, 615, 629, 634, 641, 642, 753, 793,
 817, 826, 827, 994, 995, 997, 1004,
 1006, 1009, 1037, 1049, 1075, 1131,
 1173, 1174, 1176, 1178, 1183, 1184,
 1375, 1409, 1436, 1438, 1440, 1442,
 1447, 1463, 1517, 1529, 1591, 1651,
 1665, 1669, 1672, 1677, 1685, 1717,
 1773, 1803, 1873, 1920, 1924, 1929,
 1934, 1935, 1939, 1946, 1948, 1951,
 2027, 2055, 2149, 2152(1117),
 2165(1126), 2166(1118), 2169(1129),
 2173(1131), 2178(1137), 2183(1138),
 2185(1139), 2187(1140), 2191(1142),
 2195(1149), 2197(1150), 2200(1152),
 2207(1154), 2214(1155), 2216(1159),
 2221(1161), 2223(1163), 2231(1164)
Microtus oeconomus, 1651
Mielichhoferia, 595
 migration, 497, 683, 1471
 minimum spanning network, 1471
 minisatellite, 2175(1130)
 minisatellite DNA profiling, 723
 mitochondrial control region, 1265
 mitochondrial DNA, 245, 411, 583, 657,
 1165, 1205, 1391, 1463, 1737, 1783,
 1965, 1997, 2009
 moist tropical forest, 831
 molecular clock, 1213
 molecular identification, 177
 molecular markers, 699, 1944, 2067
 molecular systematics, 1307
 molecules, 9

- mollusc, 1662
 Mollusca, 1191
 monkeys, 107
 monogamy, 1415
 Moran's *I*, 647
 Morisita's index, 647
 morphology, 9
 morphometry, 2009
 mortality, 187
 mosquitofish, 1517
 mosses, 595
 mountain lion, 433
 mtDNA phylogeny, 557
 mtDNA variation, 329
 mtDNA, 25, 91, 141, 155, 221, 269, 299, 349, 421, 609, 683, 691, 753, 771, 793, 891, 907, 1049, 1325, 1471, 1577, 1609, 1717, 1815, 2089
 multilocus fingerprint, 815
 multiple infection, 77
 multiple mating, 515
 multiple paternity, 99, 293
 mustilidae, 2216(1161)
Myotis, 1000, 1761
Myotis bechsteinii, 793
Myrmecia, 2169(1126)
Mysticeti, 2181(1132)

nad1, 1205
 NADH2, 609
Natrix tessellata, 2191(1142)
 natural populations, 293
 natural selection, 1349
 neighbourhood size, 1905
 nematode, 1223
Neobalanocarpus heimii, 1684, 1843
Neophron percnopterus, 2193(1141)
Neotoma magister, 824
 neotropical mammals, 1307
 neotropical tree, 1433
 nested clade analysis, 1029
 nested cladistic analysis, 557
 nestling mortality, 1123
 New Zealand, 269, 657
 nonequilibrium population genetics, 1927
 noninvasive genetic sampling, 2150(1134)
 noninvasive sampling, 1233
 nonradioactive labelling, 495
 nonradioactive, 2221(1152)
 nonsynonymous, 843
 North Atlantic, 949
 northern bettong, 2041
 Norway spruce, 699
Nothomyrmecia macrops, 2169(1126)
 nuclear DNA, 1165, 1965
 nuclear intron, 1363
 nuclear rDNA internal transcribed spacer (ITS), 1911
 nuclear ribosomal DNA, 595
 nucleotide diversity, 1421

 null allele, 1241
 null alleles, 1440
Nyctalus noctula, 683, 2208(1151)
 Nymphaeids, 497

 ocellated wrasse, 2166(1118)
Octopus vulgaris, 641
Odontesthes, 629
Olea europaea, 857, 1171
 Oleaceae, 112
 olive, 1171
 Ommastrephidae, 1002
Oncorhynchus, 843
Oncorhynchus mykiss, 2089
 Onychophora, 269
Ophrys, 2178(1131)
 opine, 881
 Orchidaceae, 1863, 2178(1131)
 Orchidinae, 1911
 orchids, 1863
 organellar genome association, 141
 Orinoco, 259
Oryzomys palustris, 1931
 Osteoglossomorpha, 1007
Ostrea, 495
Otis tarda, 1165
 outbreeding, 1835
 out-crossing, 2081
 oyster, 2217(1162)

 Pacific giant salamander, 116
Pagellus bogaraveo, 999
Pan paniscus, 315
Panopea abrupta, 1435
Pantera pardus, 1773
 Paralichthyidae, 2200(1149)
Paralichthys olivaceus, 2200(1149)
 parentage, 365, 492, 515, 1037, 1443
 parentage analysis, 529, 2180(1133)
 parentage testing, 53, 366
 Paridae, 1941
 parsimony, 2129
 passerine, 1941
 patented variety, 229
 paternal relatedness, 283
 paternity, 107, 515, 529, 743, 869, 1409, 1440, 1926, 2119
 paternity analysis, 242, 723, 1843
 paternity exclusion probability, 1684
 paternity testing, 1674
 patrilineal, 743
 PCR, 375, 489, 495, 497, 815, 826, 1440, 1549, 1699, 1887, 1941, 1946, 1948, 2170(1127), 2191(1142), 2226(1160)
 PCR amplification, 187
 PCR marker, 2035
 PCR-RFLP, 141, 1113, 1325, 1427, 1495, 1609, 1711
 PCR-SSCP, 1223
Pemphigus bursarius, 1951
Pemphigus spyrothecae, 1445
Penaeus japonicus, 233

Penaeus monodon, 233
Penaeus vannamei, 233
Perca flavescens, 995
 Percidae, 995
 peregrine falcon, 53
 peripatus, 269
 perivitelline membrane, 2149
 periwinkles, 39
Peromyscus, 1669
Peromyscus furvus, 2129
 Petauridae, 1682
Phascoglossus cinereus, 155
 phenotypic variation, 1451
Phillyrea angustifolia, 112
 Phyllostomidae, 1307
 phyloxera, 505
 phylogenetic diversity, 1505
 phylogeny, 77, 193, 259, 397, 1391, 1793
 phylogeography, 25, 349, 411, 487, 557, 595, 61, 657, 667, 709, 809, 857, 907, 1049, 1061, 1165, 1205, 1265, 1307, 1325, 1391, 1471, 1495, 1505, 1609, 1657, 1823, 2129
Picea abies Karst., 923
 pine marten, 2216(1161)
Pinus, 1069
Pinus brutia, 2157(1112)
Pinus densiflora, 1186
Pinus halepensis, 2157(1112)
Pinus strobus, 339
Pinus sylvestris, 1205
 plant molecular markers, 1899
 plant pathogenic fungi, 1939
 plant recruitment, 1293
 plant-microbe interactions, 881
 plant-pollinator interaction, 1911
Plasmodium falciparum, 1599
Platyopodium, 1174
Plectropomus laevis, 1929
 Pleistocene, 691
 Pleistocene glaciation, 657
 pocket mice, 642
Podocnemis expansa, 99
Pocilimon hoelzeli, 1674
 Polistinae, 2155(1053)
 pollen flow, 1843
 pollination, 1436 1911, 2178(1131)
 polyandry, 1013
 polygyny, 283, 1835
 polymorphic, 632, 1931
 polymorphic microsatellites, 822
 polymorphism, 238, 240, 639, 1451, 1495, 1679, 1938, 2205(1158)
 polyphagous predators, 1279
Polytrichum formosum, 1679
 ponerine ants, 2219(1148)
 population, 155, 165, 238, 240, 1853, 2081
 population bottleneck, 1213, 2027
 population censusing, 1233
 population differentiation, 397, 1625
 population discrimination, 827

- population dynamics, 1773
 population expansion, 1997
 population genetic structure, 783
 population genetics, 39, 110, 237, 299,
 487, 629, 699, 753, 822, 959, 1002,
 1159, 1188, 1349, 1375, 1435, 1657,
 1699, 1773, 2163(1116)
 population mixture, 221
 population structure and history, 557
 population structure, 108, 119, 349, 615,
 641, 667, 683, 793, 817, 820, 949, 1009,
 1049, 1075, 1131, 1191, 1195, 1651,
 1665, 1761, 1783, 1934, 1935, 1997,
 2137
 population subdivision, 127, 221
 population viscosity, 1835
 populations, 1561
 Portugal, 691
 postglacial colonization, 2109
 postglacial range expansion, 771
Potos, 743
 precocious maturation, 293
 prey choice, 1279
 primer, 1173, 1941, 1946, 2163(1116)
 primers, 107, 116, 365, 494, 632, 638, 826,
 1442, 1661, 1931, 1949, 2165(1117),
 2172(1128), 2173(1129), 2191(1142),
 2197(1159), 2216(1161), 2231(1164)
 primitive ants, 2169(1126)
Procambarus clarkii, 2231(1164)
Procavia johnstoni, 1675
 procellariiformes, 1415
 promoters, 1451
 Proteaceae, 1241
Pseudocementella, 1985
 Pteropodidae, 2198(1147)
Puma concolor, 433

 QTL, 1401, 1451
 quantitative traits, 61
 Quaternary, 329
 queen pheromone, 735
 Queensland, 2041
Quercus ilex, 1639

 radiation, 629
 rainbow trout, 2089
 rainforests, 1505
 ramet, 639
Rana, 1938
Rana esculenta, 2173(1129)
Rana lessonae, 1173, 2173(1129)
Rana ridibunda, 1173
Rana rugosa, 1711
rapa, 983
 RAPD, 229, 469, 505, 815, 831, 1241,
 1247, 1293, 1319, 1823, 1965
 RAPD markers, 481
 RAPDs, 61, 765, 857
 rare species, 959
 raspberry beetle, 77
 rDNA ITS, 1363

 recolonization, 709
 red deer, 801
 red squirrels, 2165(1117)
 redcedar, 1920
 reinforcement, 1013, 1137
 reintroduction, 2027
 relatedness, 743, 1195, 1339
 relationship, 53
 repeat, 2205(1158)
 reproduction, 639, 1186
 reproduction mode, 2055
 reproductive isolation, 1687
 restriction analysis, 809
 restriction sites, 359
Reticulitermes flavipes, 817
 RFLP, 215
 RFLPs, 541, 809
Rhizopogon, 1190
Rhododendron, 959
Rhododendron ponticum, 541
Rhytidoponera metallica, 2219(1148)
 right whales, 1793
 rinderpest, 2017
 risk assessment, 881
 river capture, 1577
 rock ptarmigan, 1265
 rockfish, 240, 634
 Rodentia, 1664
 roe deer, 994
 roots, 1549
 rowan, 1113
Rubus alceifolius, 443

Saccopteryx bilineata, 242
Salix, 9
Salmo salar, 293, 615, 2175(1130)
Salmo trutta, 583, 691, 1873
 salmon, 843, 2185(1139)
 Salmonidae, 1325
Salvelinus, 971
 sanga, 387
 SAR11, 935
Sasa senanensis, 901
 scat analysis, 433
Scathophaga stercoraria, 2207(1150)
Sceloporus, 1667
Schistocephalus solidus, 1926
 Schistosomes, 997
Sciurus vulgaris, 2165(1117)
 Scophthalmidae, 368
 Scorpaenidae, 634
 Scuridae, 826
 sea bass, 457
 sea surface temperature, 949
 seagrass, 127, 371
 seasonal change, 1711
Sebastes, 240
Sebastes thompsoni, 634
 seed abortion, 1174
 seed dispersal, 1113, 1293, 1427
 seed flow, 1089
 selection, 457, 843, 1137

 self-incompatibility, 1953
 selfish elements, 1013
 self-recognition, 1953
Senecio gallicus, 61
Sepia, 237
 sequence-characterized amplified
 region (SCAR), 1899
 sequencing, 215, 1609
 Serpentes, 411
 serranids, 1929
 sex allocation, 1926
 sex ratio, 1123, 1711
 sex-linked markers, 1927
 sex-specific migration, 1159
 sexual selection, 1013
 sexually transmitted disease, 723
 Seychelles warbler, 2226(1160)
 short tandem repeat, 373, 1000, 1677
Silene paradoxa, 1319
 Sillaginidae, 2214(1154)
Sillaginodes, 2214(1154)
 silver stain, 1931
 silverside fish, 629
 silverswords, 2027
 silvicultural practices, 339
Simarouba amara, 499
 Simaroubaceae, 499
 simple sequence repeats, 339,
 2183(1137)
 simulations, 1159
 single locus, 1915
 single-locus AFLP, 815
 single-locus DNA markers, 501
Sitobion avenae, 2055
 size assortment, 193
 size homoplasy, 815
 sloth, 1975
 smallmouth bass, 1946
 social behaviour, 793
 social insect, 1436
 social insects, 119, 2219(1148)
 social wasps, 2155(1053)
 sociality, 2203(1156)
 sociobiology, 1932
 sockeye salmon, 2185(1139)
 software, 487, 1657
 Soricidae, 2159(1113)
 South America, 259
 South American camelid, 1922
 South-east Asia, 1665
Spalacopus, 1447
 Sparidae, 2225(1157)
Spartina, 765
 spatial pattern, 647
 spatial statistics, 923
 spatial variation, 1293
 speciation, 667, 1717
 species boundaries, 1029
 species diagnosis, 1583
 species identification, 1549, 2150(1134)
 species-specific probes, 177
 sperm allocation, 1409

- sperm competition, 1013, 1674, 2149, 2207(1150)
Spermophilus citellus, 2163(1116)
 spiny lizards, 1667
 spotted hyena, 1443
 squamates, 1667
 squid, 110, 1002
 SSCP, 39, 245, 1699, 1965
 SSR, 1944, 2189(1143)
 SSRs, 2152(1163)
 statistical confidence, 529
 statistical parsimony, 1029
 stepwise mutation, 1599
 stock structure, 2067
 stocking, 583
 STR loci, 2181(1132)
 strawberry, 229
 striped bass, 827
 subantarctic, 299
 supplementary feeding, 187
 survival, 1123
 sustainable forest management, 339
 Sylviidae, 2226(1160)
 sympatric hosts, 505
Symphodus ocellatus, 2166(1118)
Syncerus caffer, 2017

Tachycineta bicolor, 1123
Tamias amoenus, 2180(1133)
Taraxacum, 1
 Tarsipedidae, 492
 taurine, 387
 taxonomy, 1793
 teleost, 1007, 2214(1154)
 Teleostei, 995
 termites, 502
 tetranucleotide repeats, 631

Tetrao, 1934
Tettigonioides, 1674
 the Japanese black bear, 1661
 thick-billed murre, 638
 threatened species, 373, 1677
Thuja plicata, 1920
 tick, 2213(1153)
Timarcha leaf-beetles, 557
 toad, 1927
Todaropsis, 1002
Tomentella, 1985
 transcriptional activators, 1451
 transferrin, 843
 transgene introgression, 983
 transgenic sugar beet, 2035
 transponder, 793
 trans-specific evolution, 1953
Trichechus inunguis, 2161(1115)
Trichechus manatus, 2161(1115)
Trichosurus vulpecula, 723
Trichuris trichiura, 1181
 tropical forest refuge, 1427
 tropical rainforest, 359, 499, 1089
 tunicates, 1924
 turbot, 368
 turtles, 99

 umbrella fern, 571
 urine, 2150(1134)
Ursus arctos, 421
Ursus thibetanus japonicus, 1661

Vaccinium stamineum, 1247
 vector-mediated parasite-host interactions, 1803
 vegetation change, 1975
 Venezuela, 1009

Vespa crabro, 735
 Vespidae, 2155(1053)
 vicariance, 1783, 1815
 vicariance events, 349
 Viennese Highflier, 366
 viral haemorrhagic disease, 1253
 Viverridae, 489
 VNTR, 1002
 VNTR loci, 293
 volcanism, 1061, 1213
Vouacapoua americana, 1427, 1433

 wapiti, 1561
 wasp, 2203(1156)
 water frogs, 2173(1129)
 weed, 2195(1138)
 weeds, 443
 wet sclerophyll, 2041
 whales, 1159
 wheat, 2152(1163)
 white-lined bat, 242
 Wiener Hochflugtaube, 366
 wild beet, 141
 Wolbachia, 77
 woodrat, 824
 Würm glacial, 1823

 Y chromosome, 387
 yellow dung fly, 2207(1150)
 yellow perch, 995
 yellow warblers, 667, 2137
 yellow-pine chipmunk, 2180(1133)
 Y-linked sexing, 1233

Zostera marina, 127
Zostera, 371



